



## Appendix D Noise Monitoring Data Trending


### Impact Noise Monitoring Results during Day Time (0700 - 1900 hours)



# Additional Impact Noise Monitoring Results during Evening Time (1900 - 2300 hours)



# Additional Impact Noise Monitoring Results during Night Time (2300 - 0700 hours)



**Summary of the Construction Activities Undertaken during the Reporting Period**

Location of works	Construction activities undertaken	Remarks on progress
Reclamation area	<ul style="list-style-type: none"> <li>• Reclamation works</li> <li>• PVD Remedial works<sup>[1]</sup></li> <li>• Installation of Instrumentation</li> <li>• Site Investigation works for foundation</li> <li>• Foundation works (including Driven H Pile, Socketed H Pile and Bored Pile)</li> <li>• Pile cap construction</li> </ul>	<ul style="list-style-type: none"> <li>• On-going</li> <li>• Completed</li> <li>• On-going</li> <li>• On-going</li> <li>• On-going</li> <li>• On-going</li> </ul>
Seawall portion	<ul style="list-style-type: none"> <li>• Installation of caisson</li> <li>• Installation of Chinese Pod</li> <li>• Caisson extension works, from +3mPD to +6mPD, at Seawall A and B</li> <li>• Construction of wave wall along the vertical seawall</li> </ul>	<ul style="list-style-type: none"> <li>• Completed</li> <li>• On-going</li> <li>• On-going</li> <li>• On-going</li> </ul>

Notes:

[1]: PVD Remedial works were completed in April 2022.

[2]: Installation of caisson was completed in May 2022.

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N\_S1)

Monitoring date: 6, 11, 21, 25 April 2022 (Daytime)

6&7, 11&12, 21&22, 25&26 April 2022 (Evening & Night time)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
6 Apr 2022	14:08	-	14:38	Sunny	64.6	SVAN 971 (Serial No. 96062)	Casella CEL-120-1 (No.5007536)
6 Apr 2022	19:08	-	19:13	Fine	52.9	SVAN 971 (Serial No. 96062)	Casella CEL-120-1 (No.5007536)
	20:28	-	20:33		47.5		
	21:08	-	21:13		49.1		
7 Apr 2022	1:08	-	1:13	Fine	45.8	SVAN 971 (Serial No. 96062)	Casella CEL-120-1 (No.5007536)
	3:03	-	3:08		50.3		
	5:13	-	5:18		51.9		
11 Apr 2022	13:51	-	14:21	Sunny	60.1	SVAN 971 (Serial No. 96063)	Casella CEL-120-1 (No.5007536)
11 Apr 2022	19:06	-	19:11	Fine	53.3	SVAN 971 (Serial No. 96063)	Casella CEL-120-1 (No.5007536)
	20:16	-	20:21		55.9		
	21:06	-	21:11		49.0		
12 Apr 2022	1:11	-	1:16	Fine	54.3	SVAN 971 (Serial No. 96063)	Casella CEL-120-1 (No.5007536)
	3:31	-	3:36		50.9		
	5:11	-	5:16		49.3		
21 Apr 2022	14:34	-	15:04	Sunny	62.8	SVAN 971 (Serial No. 96063)	Casella CEL-120-1 (No.5007536)
21 Apr 2022	19:04	-	19:09	Fine	54.3	SVAN 971 (Serial No. 96063)	Casella CEL-120-1 (No.5007536)
	20:09	-	20:14		53.9		
	21:04	-	21:09		46.0		
22 Apr 2022	1:09	-	1:14	Fine	49.9	SVAN 971 (Serial No. 96063)	Casella CEL-120-1 (No.5007536)
	3:09	-	3:14		51.1		
	5:04	-	5:09		53.4		
25 Apr 2022	13:11	-	13:41	Fine	62.8	SVAN 971 (Serial No. 96062)	Rion NC74 (No. 34504770)
25 Apr 2022	19:01	-	19:06	Fine	55.4	SVAN 971 (Serial No. 96062)	Rion NC74 (No. 34504770)
	20:01	-	20:06		55.4		
	21:11	-	21:16		53.0		
26 Apr 2022	1:06	-	1:11	Fine	52.9	SVAN 971 (Serial No. 96062)	Rion NC74 (No. 34504770)
	3:06	-	3:11		52.0		
	5:06	-	5:11		52.1		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N\_S1)

Monitoring date: 3, 10, 19, 24, 30 May 2022 (Daytime)

3&4, 10&11, 19&20, 24&25, 30&31 May 2022 (Evening & Night time)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Chirping of cicadas

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
3 May 2022	13:02	-	13:32	Sunny	63.8	SVAN 971 (Serial No. 103449)	Svantek SV33B (No.83042)
3 May 2022	19:12	-	19:17	Fine	52.0	SVAN 971 (Serial No. 103449)	Svantek SV33B (No.83042)
	20:07	-	20:12		52.1		
	21:07	-	21:12		47.5		
4 May 2022	1:22	-	1:27	Fine	49.7	SVAN 971 (Serial No. 103449)	Svantek SV33B (No.83042)
	3:12	-	3:17		50.7		
	5:12	-	5:17		52.2		
10 May 2022	14:11	-	14:41	Sunny	62.8	SVAN 971 (Serial No. 103449)	Svantek SV33B (No.83042)
10 May 2022	19:01	-	19:06	Fine	53.4	SVAN 971 (Serial No. 103449)	Svantek SV33B (No.83042)
	20:01	-	20:06		53.3		
	21:01	-	21:06		54.0		
11 May 2022	1:11	-	1:16	Fine	51.9	SVAN 971 (Serial No. 103449)	Svantek SV33B (No.83042)
	3:06	-	3:11		52.1		
	5:01	-	5:06		54.8		
19 May 2022	14:01	-	14:31	Fine	64.3	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
19 May 2022	19:01	-	19:06	Fine	54.7	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	20:06	-	20:11		53.7		
	21:06	-	21:11		53.8		
20 May 2022	1:06	-	1:11	Fine	52.9	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	3:01	-	3:06		52.8		
	5:01	-	5:06		50.9		
24 May 2022	14:08	-	14:38	Cloudy	63.9	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
24 May 2022	19:08	-	19:13	Fine	54.4	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	20:03	-	20:08		55.4		
	21:08	-	21:13		54.3		
25 May 2022	1:03	-	1:08	Fine	51.6	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	3:03	-	3:08		52.5		
	5:03	-	5:08		52.9		

<b>Date</b>	<b>Start time</b>		<b>End time</b>	<b>Weather</b>	<b>L<sub>eq 30min</sub> dB(A) / L<sub>eq 5min</sub> dB(A)</b>	<b>Sound Level Meter Used</b>	<b>Calibrator Used</b>
30 May 2022	13:50	-	14:20	Sunny	64.7	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
30 May 2022	19:30	-	19:35	Fine	61.0	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	20:50	-	20:55		42.6		
	21:20	-	21:25		44.1		
31 May 2022	0:55	-	1:00	Fine	51.0	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	1:50	-	1:55		52.0		
	4:40	-	4:45		52.8		



Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N\_S1)

Monitoring date: 10, 13, 20, 28 June 2022 (Daytime)  
10&11, 13&14, 20&21, 28&29 June 2022 (Evening & Night time)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than Chirping of cicadas  
construction activities from  
the Project:

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
10 June 2022	13:40	-	14:10	Cloudy	62.4	SVAN 971 (Serial No. 103449)	Svantek SV33B (No.83042)
10 June 2022	19:10	-	19:15	Fine	55.3	SVAN 971 (Serial No. 103449)	Svantek SV33B (No.83042)
	20:15	-	20:20		51.8		
	22:05	-	22:10		55.7		
11 June 2022	3:30	-	3:35	Fine	52.9	SVAN 971 (Serial No. 103449)	Svantek SV33B (No.83042)
	4:45	-	4:50		54.1		
	5:15	-	5:20		54.5		
13 June 2022	12:53	-	13:23	Fine	61.9	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
13 June 2022	19:13	-	19:18	Cloudy	56.5	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	20:18	-	20:23		54.5		
	21:23	-	21:28		51.9		
14 June 2022	1:13	-	1:18	Fine	53.6	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	3:23	-	3:28		51.7		
	5:03	-	5:08		51.8		
20 June 2022	13:42	-	14:12	Fine	65.3	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
20 June 2022	19:17	-	19:22	Fine	55.1	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	20:07	-	20:12		54.5		
	21:07	-	21:12		55.5		
21 June 2022	1:07	-	1:12	Fine	52.5	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	3:17	-	3:22		53.5		
	5:02	-	5:07		52.6		
28 June 2022	14:19	-	14:49	Sunny	64.8	SVAN 971 (Serial No. 103449)	Svantek SV33B (No.83042)
28 June 2022	19:14	-	19:19	Fine	53.6	SVAN 971 (Serial No. 103449)	Svantek SV33B (No.83042)
	20:24	-	20:29		61.7		
	21:19	-	21:24		61.2		
29 June 2022	1:14	-	1:19	Fine	53.6	SVAN 971 (Serial No. 103449)	Svantek SV33B (No.83042)
	3:09	-	3:14		50.1		
	5:04	-	5:09		50.7		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N\_S2)

Monitoring date: 6, 11, 21, 25 April 2022 (Daytime)  
6&7, 11&12, 21&22, 25&26 April 2022 (Evening & Night time)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than Nil  
construction activities from  
the Project:

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
6 Apr 2022	14:15	-	14:45	Sunny	58.0	SVAN 971 (Serial No. 103449)	Casella CEL-120-1 (No.5007536)
6 Apr 2022	19:05	-	19:10	Fine	50.0	SVAN 971 (Serial No. 103449)	Casella CEL-120-1 (No.5007536)
	20:25	-	20:30		49.7		
	21:05	-	21:10		47.9		
7 Apr 2022	1:05	-	1:10	Fine	48.0	SVAN 971 (Serial No. 103449)	Casella CEL-120-1 (No.5007536)
	3:05	-	3:10		47.8		
	5:10	-	5:15		48.6		
11 Apr 2022	14:05	-	14:35	Sunny	59.3	SVAN 971 (Serial No. 96062)	Casella CEL-120-1 (No.5007536)
11 Apr 2022	19:05	-	19:10	Fine	51.8	SVAN 971 (Serial No. 96062)	Casella CEL-120-1 (No.5007536)
	20:15	-	20:20		53.0		
	21:05	-	21:10		50.6		
12 Apr 2022	1:10	-	1:15	Fine	49.6	SVAN 971 (Serial No. 96062)	Casella CEL-120-1 (No.5007536)
	3:30	-	3:35		45.6		
	5:10	-	5:15		46.3		
21 Apr 2022	14:37	-	15:07	Sunny	57.7	SVAN 971 (Serial No. 96062)	Casella CEL-120-1 (No.5007536)
21 Apr 2022	19:02	-	19:07	Fine	52.0	SVAN 971 (Serial No. 96062)	Casella CEL-120-1 (No.5007536)
	20:07	-	20:12		53.9		
	21:02	-	21:07		48.7		
22 Apr 2022	1:07	-	1:12	Fine	49.3	SVAN 971 (Serial No. 96062)	Casella CEL-120-1 (No.5007536)
	3:02	-	3:07		48.5		
	5:02	-	5:07		48.9		
25 Apr 2022	13:24	-	13:54	Fine	57.2	SVAN 971 (Serial No. 103449)	Rion NC74 (No. 34504770)
25 Apr 2022	19:04	-	19:09	Fine	53.6	SVAN 971 (Serial No. 103449)	Rion NC74 (No. 34504770)
	20:19	-	20:24		56.4		
	21:09	-	21:14		57.0		
26 Apr 2022	1:04	-	1:09	Fine	50.1	SVAN 971 (Serial No. 103449)	Rion NC74 (No. 34504770)
	3:04	-	3:09		49.5		
	5:04	-	5:09		50.0		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N\_S2)

Monitoring date: 3, 10, 19, 24, 30 May 2022 (Daytime)

3&4, 10&11, 19&20, 24&25, 30&31 May 2022 (Evening & Night time)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Chirping of cicadas

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
3 May 2022	14:15	-	14:45	Sunny	60.0	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
3 May 2022	19:10	-	19:15	Fine	54.6	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	20:05	-	20:10		52.8		
	21:05	-	21:10		51.6		
4 May 2022	1:05	-	1:10	Fine	50.9	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	3:05	-	3:10		51.0		
	5:05	-	5:10		50.4		
10 May 2022	14:13	-	14:43	Fine	61.1	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
10 May 2022	19:03	-	19:08	Fine	53.6	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	20:03	-	20:08		51.7		
	21:03	-	21:08		53.6		
11 May 2022	1:08	-	1:13	Fine	50.3	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	3:03	-	3:08		50.8		
	5:03	-	5:08		57.2		
19 May 2022	14:13	-	14:43	Sunny	63.6	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
19 May 2022	19:03	-	19:08	Fine	54.1	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	20:03	-	20:08		53.5		
	21:03	-	21:08		54.9		
20 May 2022	1:03	-	1:08	Fine	50.9	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	3:03	-	3:08		50.5		
	5:08	-	5:13		51.7		
24 May 2022	14:10	-	14:40	Sunny	57.6	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
24 May 2022	19:10	-	19:15	Fine	53.4	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	20:05	-	20:10		52.2		
	21:00	-	21:05		52.0		
25 May 2022	1:00	-	1:05	Fine	50.8	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	3:00	-	3:05		50.9		
	5:00	-	5:05		51.5		

<b>Date</b>	<b>Start time</b>		<b>End time</b>	<b>Weather</b>	<b>L<sub>eq 30min</sub> dB(A) / L<sub>eq 5min</sub> dB(A)</b>	<b>Sound Level Meter Used</b>	<b>Calibrator Used</b>
30 May 2022	14:03	-	14:33	Sunny	63.9	SVAN 971 (Serial No. 103449)	Svantek SV33B (No.83042)
30 May 2022	19:18	-	19:23	Fine	55.9	SVAN 971 (Serial No. 103449)	Svantek SV33B (No.83042)
	20:48	-	20:53		53.1		
	21:23	-	21:28		53.9		
31 May 2022	1:03	-	1:08	Fine	50.4	SVAN 971 (Serial No. 103449)	Svantek SV33B (No.83042)
	3:18	-	3:23		50.2		
	4:48	-	4:53		50.8		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N\_S2)

Monitoring date: 6, 13, 20, 28 June 2022 (Daytime)  
 6&7, 13&14, 20&21, 28&29 June 2022 (Evening & Night time)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than Chirping of cicadas  
 construction activities from  
 the Project:

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
06 June 2022	14:25	-	14:55	Cloudy	60.5	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
06 June 2022	19:15	-	19:20	Fine	55.8	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	20:25	-	20:30		53.7		
	22:05	-	22:10		52.5		
07 June 2022	3:35	-	3:40	Fine	56.5	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	4:45	-	4:50		53.9		
	5:15	-	5:20		58.8		
13 June 2022	13:37	-	14:07	Fine	62.4	SVAN 971 (Serial No. 103449)	Svantek SV33B (No.83042)
13 June 2022	19:17	-	19:22	Cloudy	57.3	SVAN 971 (Serial No. 103449)	Svantek SV33B (No.83042)
	20:17	-	20:22		53.3		
	21:22	-	21:27		51.8		
14 June 2022	1:12	-	1:17	Fine	52.9	SVAN 971 (Serial No. 103449)	Svantek SV33B (No.83042)
	3:27	-	3:32		50.9		
	5:17	-	5:22		53.9		
20 June 2022	13:25	-	13:55	Fine	63.1	SVAN 971 (Serial No. 103449)	Svantek SV33B (No.83042)
20 June 2022	19:15	-	19:20	Fine	54.8	SVAN 971 (Serial No. 103449)	Svantek SV33B (No.83042)
	20:10	-	20:15		55.4		
	21:20	-	21:25		54.7		
21 June 2022	1:05	-	1:10	Fine	50.8	SVAN 971 (Serial No. 103449)	Svantek SV33B (No.83042)
	3:15	-	3:20		53.5		
	5:05	-	5:10		55.2		
28 June 2022	14:25	-	14:55	Sunny	62.7	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
28 June 2022	19:20	-	19:25	Fine	59.7	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	20:25	-	20:30		59.4		
	21:20	-	21:25		58.5		
29 June 2022	1:15	-	1:20	Fine	53.6	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	3:10	-	3:15		50.5		
	5:05	-	5:10		51.2		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N\_S3)

Monitoring date: 6, 11, 21, 25 April 2022 (Daytime)  
 6&7, 11&12, 21&22, 25&26 April 2022 (Evening & Night time)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Air-conditioner

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
6 Apr 2022	14:08	-	14:38	Sunny	57.9	SVAN 971 (Serial No. 96063)	Casella CEL-120-1 (No.5007536)
6 Apr 2022	19:08	-	19:13	Fine	49.4	SVAN 971 (Serial No. 96063)	Casella CEL-120-1 (No.5007536)
	20:28	-	20:33		44.3		
	21:13	-	21:18		48.2		
7 Apr 2022	1:08	-	1:13	Fine	40.7	SVAN 971 (Serial No. 96063)	Casella CEL-120-1 (No.5007536)
	3:03	-	3:08		49.2		
	5:13	-	5:18		50.3		
11 Apr 2022	13:45	-	14:15	Sunny	58.6	SVAN 971 (Serial No. 103449)	Casella CEL-120-1 (No.5007536)
11 Apr 2022	19:05	-	19:10	Fine	58.5	SVAN 971 (Serial No. 103449)	Casella CEL-120-1 (No.5007536)
	20:15	-	20:20		50.3		
	21:05	-	21:10		54.5		
12 Apr 2022	1:10	-	1:15	Fine	50.3	SVAN 971 (Serial No. 103449)	Casella CEL-120-1 (No.5007536)
	3:30	-	3:35		46.3		
	5:10	-	5:15		51.0		
21 Apr 2022	14:59	-	15:29	Sunny	58.1	SVAN 971 (Serial No. 103449)	Casella CEL-120-1 (No.5007536)
21 Apr 2022	19:04	-	19:09	Fine	48.8	SVAN 971 (Serial No. 103449)	Casella CEL-120-1 (No.5007536)
	20:09	-	20:14		51.2		
	21:04	-	21:09		44.2		
22 Apr 2022	1:04	-	1:09	Fine	49.5	SVAN 971 (Serial No. 103449)	Casella CEL-120-1 (No.5007536)
	3:09	-	3:14		53.1		
	5:09	-	5:14		48.4		
25 Apr 2022	13:03	-	13:33	Fine	61.9	SVAN 971 (Serial No. 96063)	Rion NC74 (No. 34504770)
25 Apr 2022	19:03	-	19:08	Fine	53.4	SVAN 971 (Serial No. 96063)	Rion NC74 (No. 34504770)
	20:13	-	20:18		54.7		
	21:08	-	21:13		54.7		
26 Apr 2022	1:03	-	1:08	Fine	51.4	SVAN 971 (Serial No. 96063)	Rion NC74 (No. 34504770)
	3:08	-	3:13		50.6		
	5:03	-	5:08		50.8		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N\_S3)

Monitoring date: 3, 10, 19, 24, 30 May 2022 (Daytime)

3&4, 10&11, 19&20, 24&25, 30&31 May 2022 (Evening & Night time)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Chirping of cicadas and air-conditioner

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
3 May 2022	14:00	-	14:30	Sunny	57.1	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
3 May 2022	19:10	-	19:15	Fine	57.1	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	20:10	-	20:15		49.2		
	21:00	-	21:05		48.9		
4 May 2022	1:00	-	1:05	Fine	53.9	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	3:00	-	3:05		53.3		
	5:00	-	5:05		54.4		
10 May 2022	14:13	-	14:43	Fine	57.0	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
10 May 2022	19:03	-	19:08	Fine	54.0	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	20:03	-	20:08		54.9		
	21:03	-	21:08		53.5		
11 May 2022	1:03	-	1:08	Fine	48.2	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	3:08	-	3:13		56.8		
	5:13	-	5:18		58.2		
19 May 2022	13:57	-	14:27	Sunny	62.5	SVAN 971 (Serial No. 103449)	Svantek SV33B (No.83042)
19 May 2022	19:02	-	19:07	Fine	56.5	SVAN 971 (Serial No. 103449)	Svantek SV33B (No.83042)
	20:12	-	20:17		52.4		
	21:02	-	21:07		53.8		
20 May 2022	1:07	-	1:12	Fine	51.4	SVAN 971 (Serial No. 103449)	Svantek SV33B (No.83042)
	3:02	-	3:07		50.4		
	5:02	-	5:07		48.3		
24 May 2022	14:09	-	14:39	Sunny	60.7	SVAN 971 (Serial No. 103449)	Svantek SV33B (No.83042)
24 May 2022	19:09	-	19:14	Fine	49.8	SVAN 971 (Serial No. 103449)	Svantek SV33B (No.83042)
	20:04	-	20:09		50.9		
	21:09	-	21:14		48.5		
25 May 2022	1:09	-	1:14	Fine	47.4	SVAN 971 (Serial No. 103449)	Svantek SV33B (No.83042)
	3:04	-	3:09		48.9		
	5:14	-	5:19		49.8		

<b>Date</b>	<b>Start time</b>		<b>End time</b>	<b>Weather</b>	<b><math>L_{eq\ 30min\ dB(A)} / L_{eq\ 5min\ dB(A)}</math></b>	<b>Sound Level Meter Used</b>	<b>Calibrator Used</b>
30 May 2022	13:53	-	14:23	Sunny	62.8	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
30 May 2022	19:28	-	19:33	Fine	56.9	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	20:43	-	20:48		54.6		
	21:18	-	21:23		51.4		
31 May 2022	1:08	-	1:13	Fine	54.2	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	3:13	-	3:18		53.8		
	4:53	-	4:58		54.6		



Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N\_S3)

Monitoring date: 6, 13, 20, 28 June 2022 (Daytime)  
6&7, 13&14, 20&21, 28&29 June 2022 (Evening & Night time)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Chirping of cicadas and air-conditioner

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
06 June 2022	14:03	-	14:33	Cloudy	63.4	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
06 June 2022	19:18	-	19:23	Fine	63.9	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	20:18	-	20:23		57.8		
	22:03	-	22:08		55.0		
07 June 2022	3:38	-	3:43	Fine	56.1	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	4:43	-	4:48		57.4		
	5:13	-	5:18		56.1		
13 June 2022	13:13	-	13:43	Fine	66.0	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
13 June 2022	19:33	-	19:38	Cloudy	54.8	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	20:13	-	20:18		55.3		
	21:13	-	21:18		53.4		
14 June 2022	1:23	-	1:28	Fine	55.1	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	3:28	-	3:33		54.5		
	5:18	-	5:23		55.0		
20 June 2022	13:31	-	14:01	Fine	66.5	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
20 June 2022	19:31	-	19:36	Fine	57.0	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	20:06	-	20:11		56.5		
	21:21	-	21:26		54.2		
21 June 2022	1:06	-	1:11	Fine	49.9	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	3:06	-	3:11		55.4		
	5:01	-	5:06		56.8		
28 June 2022	14:14	-	14:44	Sunny	63.3	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
28 June 2022	19:14	-	19:19	Fine	57.6	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	20:24	-	20:29		56.6		
	21:19	-	21:24		56.0		
29 June 2022	1:14	-	1:19	Fine	51.4	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	3:09	-	3:14		51.5		
	5:04	-	5:09		47.1		