



## Appendix C Noise Monitoring Data Trending


### Impact Noise Monitoring Results during Day Time (0700 - 1900 hours)



### Additional Impact Noise Monitoring Results during Evening Time (1900 - 2300 hours)



### Additional Impact Noise Monitoring Results during Night Time (2300 - 0700 hours)



**Summary of the Construction Activities Undertaken during the Reporting Period**

<b>Location of works</b>	<b>Construction activities undertaken</b>	<b>Remarks on progress</b>
Reclamation area	<ul style="list-style-type: none"><li>• Pile cap construction</li><li>• Structural steel work</li><li>• Superstructure construction</li></ul>	<ul style="list-style-type: none"><li>• On-going</li><li>• On-going</li><li>• On-going</li></ul>
Seawall portion	<ul style="list-style-type: none"><li>• Caisson extension works, from +3mPD to +6mPD, at Seawall A and B</li><li>• Construction of wave wall along the vertical seawall above +3mPD</li></ul>	<ul style="list-style-type: none"><li>• On-going</li><li>• On-going</li></ul>

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N\_S1)

Monitoring date: 02, 08, 15 and 22 April 2024 (Daytime)

02&03, 08&09, 15&16 and 22&23 April 2024 (Evening & Nighttime)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
02 Apr 2024	13:44	-	14:14	Fine	57.9	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
02 Apr 2024	19:04	-	19:09	Fine	55.1	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
	20:09	-	20:14		52.9		
	21:04	-	21:09		48.1		
03 Apr 2024	1:14	-	1:19	Fine	46.0	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
	3:14	-	3:19		46.4		
	5:59	-	6:04		50.8		
08 Apr 2024	13:46	-	14:16	Fine	58.6	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
08 Apr 2024	19:16	-	19:21	Fine	55.1	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
	20:06	-	20:11		56.3		
	21:36	-	21:41		52.9		
09 Apr 2024	1:06	-	1:11	Fine	46.9	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
	3:11	-	3:16		47.2		
	5:06	-	5:11		51.8		
15 Apr 2024	13:37	-	14:07	Fine	57.9	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
15 Apr 2024	19:12	-	19:17	Fine	55.1	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
	20:02	-	20:07		52.9		
	21:42	-	21:47		48.1		
16 Apr 2024	1:12	-	1:17	Fine	46.0	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
	3:27	-	3:32		46.4		
	5:07	-	5:12		50.8		
22 Apr 2024	13:14	-	13:44	Cloudy	58.8	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
22 Apr 2024	19:09	-	19:14	Fine	51.7	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
	20:04	-	20:09		53.1		
	21:04	-	21:09		49.9		
23 Apr 2024	1:44	-	1:49	Fine	49.5	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
	3:14	-	3:19		49.0		
	5:04	-	5:09		57.7		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N\_S2)

Monitoring date: 02, 08, 15 and 22 April 2024 (Daytime)

02&03, 08&09, 15&16 and 22&23 April 2024 (Evening & Nighttime)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
02 Apr 2024	13:58	-	14:28	Fine	58.6	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
02 Apr 2024	19:03	-	19:08	Fine	54.5	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
	20:08	-	20:13		53.3		
	21:08	-	21:13		49.6		
03 Apr 2024	1:13	-	1:18	Fine	49.0	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
	3:13	-	3:18		48.1		
	5:53	-	5:58		53.7		
08 Apr 2024	13:30	-	14:00	Fine	58.4	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
08 Apr 2024	19:15	-	19:20	Fine	53.4	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
	20:10	-	20:15		52.8		
	21:35	-	21:40		51.3		
09 Apr 2024	1:05	-	1:10	Fine	48.8	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
	3:10	-	3:15		50.5		
	5:05	-	5:10		50.5		
15 Apr 2024	13:45	-	14:15	Fine	58.6	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
15 Apr 2024	19:15	-	19:20	Fine	54.5	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
	20:05	-	20:10		53.3		
	21:40	-	21:45		49.6		
16 Apr 2024	1:10	-	1:15	Fine	49.0	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
	3:25	-	3:30		48.1		
	5:05	-	5:10		53.7		
22 Apr 2024	13:26	-	13:56	Cloudy	53.9	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
22 Apr 2024	19:06	-	19:11	Fine	52.9	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
	20:01	-	20:06		54.7		
	21:06	-	21:11		55.1		
23 Apr 2024	1:31	-	1:36	Fine	55.2	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
	3:36	-	3:41		54.1		
	5:31	-	5:36		55.2		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N\_S3)

Monitoring date: 02, 08, 15 and 22 April 2024 (Daytime)

02&03, 08&09, 15&16 and 22&23 April 2024 (Evening & Nighttime)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Operation of nearby Air Quality Monitoring Station

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
02 Apr 2024	13:34	-	14:04	Fine	60.2	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
02 Apr 2024	19:04	-	19:09	Fine	55.5	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
	20:09	-	20:14		52.9		
	21:09	-	21:14		54.4		
03 Apr 2024	1:39	-	1:44	Fine	48.9	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
	3:14	-	3:19		49.0		
	5:49	-	5:54		47.9		
08 Apr 2024	13:38	-	14:08	Fine	59.6	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
08 Apr 2024	19:18	-	19:23	Fine	55.6	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
	20:08	-	20:13		56.0		
	21:38	-	21:43		48.3		
09 Apr 2024	1:13	-	1:18	Fine	49.5	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
	3:18	-	3:23		45.5		
	5:13	-	5:18		49.1		
15 Apr 2024	13:33	-	14:03	Fine	60.2	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
15 Apr 2024	19:13	-	19:18	Fine	55.5	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
	20:08	-	20:13		52.9		
	21:53	-	21:58		54.4		
16 Apr 2024	1:03	-	1:08	Fine	48.9	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
	3:48	-	3:53		49.0		
	5:08	-	5:13		47.9		
22 Apr 2024	13:35	-	14:05	Cloudy	60.2	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
22 Apr 2024	19:15	-	19:20	Fine	52.3	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
	20:10	-	20:15		55.8		
	21:10	-	21:15		53.9		
23 Apr 2024	1:25	-	1:30	Fine	52.9	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
	3:40	-	3:45		54.0		
	5:30	-	5:35		55.9		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N\_S1)

Monitoring date: 02, 06, 16, 20 and 27 May 2024 (Daytime)

02&03, 06&07, 16&17 and 27&28 May 2024 (Evening & Nighttime)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
02 May 2024	13:26	-	13:56	Cloudy	56.3	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
02 May 2024	19:11	-	19:16	Fine	50.1	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
	20:21	-	20:26		51.8		
	21:16	-	21:21		47.1		
03 May 2024	1:11	-	1:16	Fine	46.6	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
	3:16	-	3:21		46.2		
	5:11	-	5:16		49.1		
06 May 2024	13:18	-	13:48	Fine	59.0	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
06 May 2024	19:08	-	19:13	Fine	55.4	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
	20:08	-	20:13		53.2		
	21:08	-	21:13		53.2		
07 May 2024	1:13	-	1:18	Fine	47.0	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
	3:23	-	3:28		47.8		
	5:18	-	5:23		54.3		
16 May 2024	13:55	-	14:25	Fine	58.5	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
16 May 2024	19:15	-	19:20	Fine	54.8	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
	20:05	-	20:10		54.5		
	21:05	-	21:10		54.3		
17 May 2024	1:15	-	1:20	Fine	50.5	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
	3:10	-	3:15		50.7		
	5:15	-	5:20		53.6		
20 May 2024	13:54	-	14:24	Cloudy	58.8	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
20 May 2024	19:14	-	19:19	Fine	51.4	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
	20:19	-	20:24		49.5		
	21:04	-	21:09		49.2		
21 May 2024	1:04	-	1:09	Fine	43.6	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
	3:09	-	3:14		44.0		
	5:04	-	5:09		49.1		

<b>Date</b>	<b>Start time</b>		<b>End time</b>	<b>Weather</b>	<b>L<sub>eq 30min</sub> dB(A) / L<sub>eq 5min</sub> dB(A)</b>	<b>Sound Level Meter Used</b>	<b>Calibrator Used</b>
27 May 2024	14:00	-	14:30	Cloudy	65.6	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
27 May 2024	19:25	-	19:30	Fine	50.5	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
	20:15	-	20:20		52.4		
	21:15	-	21:20		48.8		
28 May 2024	1:10	-	1:15	Fine	48.6	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
	3:20	-	3:25		44.7		
	5:25	-	5:30		52.6		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N\_S2)

Monitoring date: 02, 06, 16, 20 and 27 May 2024 (Daytime)

02&03, 06&07, 16&17 and 27&28 May 2024 (Evening & Nighttime)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Cicada Chirping

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
02 May 2024	13:36	-	14:06	Cloudy	52.8	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
02 May 2024	19:21	-	19:26	Fine	54.2	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
	20:26	-	20:31		52.7		
	21:21	-	21:26		54.5		
03 May 2024	1:11	-	1:16	Fine	55.0	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
	3:16	-	3:21		56.4		
	5:11	-	5:16		57.6		
06 May 2024	13:26	-	13:56	Fine	54.9	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
06 May 2024	19:06	-	19:11	Fine	55.0	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
	20:11	-	20:16		58.3		
	21:06	-	21:11		54.6		
07 May 2024	1:11	-	1:16	Fine	55.3	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
	3:21	-	3:26		50.0		
	5:16	-	5:21		59.0		
16 May 2024	14:02	-	14:32	Fine	59.5	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
16 May 2024	19:17	-	19:22	Fine	54.7	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
	20:07	-	20:12		55.7		
	21:07	-	21:12		54.5		
17 May 2024	1:12	-	1:17	Fine	53.4	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
	3:12	-	3:17		54.3		
	5:12	-	5:17		57.3		
20 May 2024	13:31	-	14:01	Cloudy	65.6	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
20 May 2024	19:16	-	19:21	Fine	58.5	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
	20:21	-	20:26		61.5		
	21:06	-	21:11		58.2		
21 May 2024	1:06	-	1:11	Fine	57.9	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
	3:11	-	3:16		57.2		
	5:01	-	5:06		59.6		

<b>Date</b>	<b>Start time</b>		<b>End time</b>	<b>Weather</b>	<b>L<sub>eq 30min</sub> dB(A) / L<sub>eq 5min</sub> dB(A)</b>	<b>Sound Level Meter Used</b>	<b>Calibrator Used</b>
27 May 2024	14:41	-	15:11	Cloudy	65.2	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
27 May 2024	19:26	-	19:31	Fine	54.0	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
	20:16	-	20:21		54.3		
	21:11	-	21:16		53.8		
28 May 2024	1:06	-	1:11	Fine	51.7	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
	3:31	-	3:36		53.6		
	5:11	-	5:16		58.2		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N\_S3)

Monitoring date: 02, 06, 16, 20 and 27 May 2024 (Daytime)

02&03, 06&07, 16&17 and 27&28 May 2024 (Evening & Nighttime)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Operation of nearby Air Quality Monitoring Station

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
02 May 2024	13:29	-	13:59	Cloudy	55.4	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
02 May 2024	19:29	-	19:34	Fine	50.4	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
	20:24	-	20:29		50.1		
	21:19	-	21:24		50.6		
03 May 2024	1:19	-	1:24	Fine	55.4	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
	3:14	-	3:19		49.9		
	5:19	-	5:24		51.9		
06 May 2024	13:15	-	13:45	Fine	60.3	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
06 May 2024	19:05	-	19:10	Fine	58.2	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
	20:10	-	20:15		57.7		
	21:10	-	21:15		57.3		
07 May 2024	1:10	-	1:15	Fine	57.5	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
	3:20	-	3:25		58.3		
	5:10	-	5:15		54.5		
16 May 2024	13:46	-	14:16	Fine	59.0	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
16 May 2024	19:11	-	19:16	Fine	53.4	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
	20:01	-	20:06		52.9		
	21:11	-	21:16		50.5		
17 May 2024	1:16	-	1:21	Fine	48.4	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
	3:06	-	3:11		46.5		
	5:16	-	5:21		49.5		
20 May 2024	16:16	-	16:46	Cloudy	66.5	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
20 May 2024	19:36	-	19:41	Fine	50.8	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
	20:41	-	20:46		57.9		
	21:16	-	21:21		55.8		
21 May 2024	1:11	-	1:16	Fine	46.9	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
	3:11	-	3:16		47.1		
	5:16	-	5:21		48.5		

<b>Date</b>	<b>Start time</b>		<b>End time</b>	<b>Weather</b>	<b>L<sub>eq 30min</sub> dB(A) / L<sub>eq 5min</sub> dB(A)</b>	<b>Sound Level Meter Used</b>	<b>Calibrator Used</b>
27 May 2024	14:16	-	14:46	Cloudy	61.9	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
27 May 2024	19:26	-	19:31	Fine	52.9	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
	20:11	-	20:16		51.8		
	21:11	-	21:16		52.2		
28 May 2024	1:06	-	1:11	Fine	54.3	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
	3:36	-	3:41		51.9		
	5:06	-	5:11		54.4		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N\_S1)

Monitoring date: 03, 11, 17 and 24 June 2024 (Daytime)

03&04, 11&12, 17&18 and 24&25 June 2024 (Evening & Nighttime)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
02 June 2024	13:58	-	14:28	Cloudy	64.5	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
02 June 2024	19:28	-	19:33	Fine	53.5	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
	20:23	-	20:28		53.0		
	21:23	-	21:28		52.6		
03 June 2024	1:23	-	1:28	Fine	52.1	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
	3:23	-	3:28		54.8		
	5:18	-	5:23		60.3		
11 June 2024	13:41	-	14:11	Fine	65.4	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
11 June 2024	19:41	-	19:46	Fine	53.4	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
	20:21	-	20:26		52.5		
	21:16	-	21:21		52.3		
12 June 2024	1:11	-	1:16	Fine	51.0	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
	3:11	-	3:16		49.1		
	5:11	-	5:16		53.7		
17 June 2024	13:37	-	14:07	Sunny	60.8	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
17 June 2024	19:22	-	19:27	Fine	53.5	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
	20:27	-	20:32		51.0		
	21:17	-	21:22		51.4		
18 June 2024	1:07	-	1:12	Fine	49.1	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
	3:17	-	3:22		47.9		
	4:57	-	5:02		57.4		
24 June 2024	14:17	-	14:47	Fine	67.1	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
24 June 2024	19:47	-	19:52	Fine	55.8	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
	20:27	-	20:32		58.3		
	21:52	-	21:57		57.5		
25 June 2024	1:17	-	1:22	Fine	56.0	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724243)
	3:17	-	3:22		56.0		
	5:02	-	5:07		62.0		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N\_S2)

Monitoring date: 03, 11, 17 and 24 June 2024 (Daytime)

03&04, 11&12, 17&18 and 24&25 June 2024 (Evening & Nighttime)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
02 June 2024	14:08	-	14:38	Cloudy	57.3	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
02 June 2024	19:23	-	19:28	Fine	52.5	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
	20:28	-	20:33		52.1		
	21:28	-	21:33		53.2		
03 June 2024	1:23	-	1:28	Fine	54.9	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
	3:28	-	3:33		56.5		
	5:33	-	5:38		59.0		
11 June 2024	13:54	-	14:24	Fine	63.0	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
11 June 2024	19:44	-	19:49	Fine	52.8	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
	20:24	-	20:29		52.2		
	21:14	-	21:19		52.1		
12 June 2024	1:14	-	1:19	Fine	51.0	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
	3:14	-	3:19		49.8		
	5:19	-	5:24		52.4		
17 June 2024	13:48	-	14:18	Sunny	63.9	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
17 June 2024	19:28	-	19:33	Fine	53.8	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
	20:33	-	20:38		53.0		
	21:18	-	21:23		53.3		
18 June 2024	1:08	-	1:13	Fine	50.6	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
	3:18	-	3:23		49.4		
	4:58	-	5:03		50.8		
24 June 2024	14:26	-	14:56	Fine	62.8	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
24 June 2024	19:41	-	19:46	Fine	52.3	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
	20:26	-	20:31		52.1		
	21:51	-	21:56		51.7		
25 June 2024	1:16	-	1:21	Fine	50.6	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724243)
	3:16	-	3:21		49.2		
	5:11	-	5:16		51.2		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N\_S3)

Monitoring date: 03, 12, 17 and 24 June 2024 (Daytime)  
 03&04, 12&13, 17&18 and 24&25 June 2024 (Evening & Nighttime)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Operation of nearby Air Quality Monitoring Station, Construction works of Signal Tower

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
02 June 2024	13:50	-	14:20	Cloudy	52.3	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
02 June 2024	19:20	-	19:25	Fine	51.3	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
	20:25	-	20:30		51.5		
	21:20	-	21:25		51.3		
03 June 2024	1:25	-	1:30	Fine	51.9	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
	3:15	-	3:20		53.6		
	5:30	-	5:35		52.6		
12 June 2024	13:44	-	14:14	Fine	61	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
12 June 2024	19:44	-	19:49	Fine	51.5	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
	20:24	-	20:29		54.9		
	21:24	-	21:29		53.9		
13 June 2024	1:34	-	1:39	Fine	53.3	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
	3:29	-	3:34		52.9		
	5:19	-	5:24		55.4		
17 June 2024	11:37	-	12:07	Sunny	68.8	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
17 June 2024	19:47	-	19:52	Fine	65.2	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
	20:32	-	20:37		63.9		
	21:17	-	21:22		63.3		
18 June 2024	1:32	-	1:37	Fine	58.7	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
	3:07	-	3:12		58.9		
	5:02	-	5:07		60.9		
24 June 2024	13:10	-	13:40	Fine	69.4	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
24 June 2024	19:45	-	19:50	Fine	61.1	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
	20:20	-	20:25		57.9		
	21:20	-	21:25		59.3		
25 June 2024	1:20	-	1:25	Fine	65.5	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34724243)
	3:40	-	3:45		59.9		
	5:05	-	5:10		63.3		