

## Appendix N Exceedance Report

## Statistical Summary of Exceedances in the Reporting Period

| Water Quality (Regular DCM) |              |             |       |
|-----------------------------|--------------|-------------|-------|
| Location                    | Action Level | Limit Level | Total |
| B1                          | 0            | 0           | 0     |
| B2                          | 0            | 0           | 0     |
| B3                          | 0            | 0           | 0     |
| B4                          | 0            | 0           | 0     |
| CR1                         | 0            | 0           | 0     |
| CR2                         | 0            | 0           | 0     |
| F1A                         | 0            | 0           | 0     |
| H1                          | 0            | 0           | 0     |
| S1                          | 0            | 0           | 0     |
| S2A                         | 0            | 0           | 0     |
| S3                          | 0            | 0           | 0     |
| M1                          | 0            | 0           | 0     |

| Noise (Day Time)     |              |             |       |
|----------------------|--------------|-------------|-------|
| Location             | Action Level | Limit Level | Total |
| M1                   | 0            | 0           | 0     |
| M2                   | 0            | 0           | 0     |
| M3                   | 0            | 0           | 0     |
| Noise (Evening Time) |              |             |       |
| Location             | Action Level | Limit Level | Total |
| M1                   | 0            | 0           | 0     |
| M2                   | 0            | 0           | 0     |
| M3                   | 0            | 0           | 0     |
| Noise (Night Time)   |              |             |       |
| Location             | Action Level | Limit Level | Total |
| M1                   | 0            | 0           | 0     |
| M2                   | 0            | 0           | 0     |
| M3                   | 0            | 0           | 0     |