


## Appendix D Noise Monitoring Data Trending


## Impact Noise Monitoring Results during Day Time (0700 - 1900 hours)



Remark:

1. Construction works carried out during reporting month refer to **Table 1.2**.
2. Weather condition recorded and noise source other than construction activities from the Project observed during the monitoring events refer to noise monitoring data summary in **Appendix G**.


## Additional Impact Noise Monitoring Results during Evening Time (1900 - 2300 hours)



Remark:

1. Construction works carried out during reporting month refer to **Table 1.2**.
2. Weather condition recorded and noise source other than construction activities from the Project observed during the monitoring events refer to noise monitoring data summary in **Appendix G**.

## Additional Impact Noise Monitoring Results during Night Time (2300 - 0700 hours)



Remark:

1. Construction works carried out during reporting month refer to **Table 1.2**.
2. Weather condition recorded and noise source other than construction activities from the Project observed during the monitoring events refer to noise monitoring data summary in **Appendix G**.

**Summary of the Construction Activities Undertaken during the Reporting Period**

<b>Location of works</b>	<b>Construction activities undertaken</b>	<b>Remarks on progress</b>
Reclamation area	<ul style="list-style-type: none"><li>• Pile cap construction</li><li>• Superstructure construction</li></ul>	<ul style="list-style-type: none"><li>• On-going</li><li>• On-going</li></ul>
Seawall portion	<ul style="list-style-type: none"><li>• Caisson extension works, from +3mPD to +6mPD, at Seawall A and B</li><li>• Construction of wave wall along the vertical seawall above +3mPD</li></ul>	<ul style="list-style-type: none"><li>• On-going</li><li>• On-going</li></ul>

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N\_S1)

Monitoring date: 02, 07, 14, 21 and 28 October 2024 (Daytime)

02&03, 07&08, 14&15, 21&22 and 28&29 October 2024 (Evening & Nighttime)

Parameter:  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
02 Oct 2024	13:19	-	13:49	Sunny	55.5	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
02 Oct 2024	19:14	-	19:19	Fine	49.5	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:09	-	20:14		50.7		
	21:39	-	21:44		46.7		
03 Oct 2024	1:19	-	1:24	Fine	48.0	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:19	-	3:24		48.4		
	5:09	-	5:14		47.6		
07 Oct 2024	13:31	-	14:01	Sunny	56.5	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
07 Oct 2024	19:06	-	19:11	Fine	51.2	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:16	-	20:21		50.0		
	21:16	-	21:21		47.2		
08 Oct 2024	1:26	-	1:31	Fine	47.6	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:21	-	3:26		45.6		
	5:16	-	5:21		48.0		
14 Oct 2024	13:48	-	14:18	Sunny	56.2	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
14 Oct 2024	19:18	-	19:23	Fine	54.9	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:18	-	20:23		45.9		
	21:18	-	21:23		45.8		
15 Oct 2024	1:18	-	1:23	Fine	47.9	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:23	-	3:28		46.0		
	5:08	-	5:13		47.5		
21 Oct 2024	13:26	-	13:56	Sunny	56.7	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
21 Oct 2024	19:16	-	19:21	Fine	52.5	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:26	-	20:31		53.0		
	21:41	-	21:46		47.4		
22 Oct 2024	1:26	-	1:31	Fine	47.4	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:31	-	3:36	Fine	46.0		
	5:16	-	5:21	Fine	46.7		

<b>Date</b>	<b>Start time</b>		<b>End time</b>	<b>Weather</b>	<b>L<sub>eq 30min</sub> dB(A) / L<sub>eq 5min</sub> dB(A)</b>	<b>Sound Level Meter Used</b>	<b>Calibrator Used</b>
28 Oct 2024	13:36	-	14:06	Sunny	56.1	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
28 Oct 2024	19:26	-	19:31	Fine	51.1	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:21	-	20:26	Fine	52.3		
	21:26	-	21:31	Fine	51.9		
29 Oct 2024	1:31	-	1:36	Fine	46.2	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:21	-	3:26	Fine	54.0		
	5:11	-	5:16	Fine	55.6		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N\_S2)

Monitoring date: 02, 07, 14, 21 and 28 October 2024 (Daytime)

02&03, 07&08, 14&15, 21&22 and 28&29 October 2024 (Evening & Nighttime)

Parameter:  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
02 Oct 2024	13:28	-	13:58	Sunny	59.5	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
02 Oct 2024	19:13	-	19:18	Fine	56.2	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	20:13	-	20:18	Fine	50.3		
	21:18	-	21:23	Fine	55.0		
03 Oct 2024	1:13	-	1:18	Fine	55.3	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	3:08	-	3:13	Fine	56.0		
	5:08	-	5:13	Fine	58.1		
07 Oct 2024	13:41	-	14:11	Sunny	53.5	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
07 Oct 2024	19:06	-	19:11	Fine	49.4	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	20:16	-	20:21	Fine	55.9		
	21:16	-	21:21	Fine	48.7		
08 Oct 2024	1:16	-	1:21	Fine	50.4	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	3:16	-	3:21	Fine	51.7		
	5:11	-	5:16	Fine	52.6		
14 Oct 2024	13:32	-	14:02	Sunny	54.1	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
14 Oct 2024	19:17	-	19:22	Fine	55.5	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	20:17	-	20:22	Fine	50.6		
	21:22	-	21:27	Fine	50.8		
15 Oct 2024	1:17	-	1:22	Fine	48.0	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	3:22	-	3:27	Fine	48.7		
	5:07	-	5:12	Fine	48.9		
21 Oct 2024	13:31	-	14:01	Sunny	53.7	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
21 Oct 2024	19:11	-	19:16	Fine	52.0	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	20:26	-	20:31	Fine	55.4		
	21:41	-	21:46	Fine	49.6		
22 Oct 2024	1:26	-	1:31	Fine	47.5	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	3:31	-	3:36	Fine	47.7		
	5:16	-	5:21	Fine	47.5		

<b>Date</b>	<b>Start time</b>		<b>End time</b>	<b>Weather</b>	<b>L<sub>eq 30min</sub> dB(A) / L<sub>eq 5min</sub> dB(A)</b>	<b>Sound Level Meter Used</b>	<b>Calibrator Used</b>
28 Oct 2024	13:39	-	14:09	Sunny	54.6	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
28 Oct 2024	19:24	-	19:29	Fine	52.0	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	20:19	-	20:24	Fine	51.5		
	21:14	-	21:19	Fine	51.4		
29 Oct 2024	1:29	-	1:34	Fine	46.5	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	3:34	-	3:39	Fine	47.8		
	5:14	-	5:19	Fine	50.9		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N\_S3)

Monitoring date: 02, 07, 14, 21 and 28 October 2024 (Daytime)

02&03, 07&08, 14&15, 21&22 and 28&29 October 2024 (Evening & Nighttime)

Parameter:  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Operation of nearby Air Quality Monitoring Station

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
02 Oct 2024	13:12	-	13:42	Sunny	58.5	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
02 Oct 2024	19:22	-	19:27	Fine	52.1	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:17	-	20:22		53.5		
	21:27	-	21:32		45.5		
03 Oct 2024	1:12	-	1:17	Fine	47.4	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:17	-	3:22		46.0		
	5:22	-	5:27		47.2		
07 Oct 2024	13:30	-	14:00	Sunny	57.6	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
07 Oct 2024	19:05	-	19:10	Fine	55.6	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:10	-	20:15		56.4		
	21:10	-	21:15		53.3		
08 Oct 2024	1:15	-	1:20	Fine	45.9	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:20	-	3:25		45.4		
	5:10	-	5:15		46.7		
14 Oct 2024	13:46	-	14:16	Sunny	57.5	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
14 Oct 2024	19:16	-	19:21	Fine	57.7	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:21	-	20:26		54.9		
	21:11	-	21:16		56.5		
15 Oct 2024	1:31	-	1:36	Fine	54.8	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:31	-	3:36		54.9		
	5:16	-	5:21		54.9		
21 Oct 2024	13:49	-	14:19	Sunny	57.1	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
21 Oct 2024	19:24	-	19:29	Fine	56.9	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:29	-	20:34		56.0		
	21:44	-	21:49		55.4		
22 Oct 2024	1:24	-	1:29	Fine	48.9	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:34	-	3:39		48.9		
	5:19	-	5:24		49.5		

<b>Date</b>	<b>Start time</b>		<b>End time</b>	<b>Weather</b>	<b>L<sub>eq 30min</sub> dB(A) / L<sub>eq 5min</sub> dB(A)</b>	<b>Sound Level Meter Used</b>	<b>Calibrator Used</b>
28 Oct 2024	13:49	-	14:19	Sunny	57.0	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
28 Oct 2024	19:24	-	19:29	Fine	41.8	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:19	-	20:24		45.1		
	21:14	-	21:19		44.6		
29 Oct 2024	1:29	-	1:34	Fine	47.3	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:29	-	3:34		43.6		
	5:14	-	5:19		43.6		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N\_S1)

Monitoring date: 04, 12, 21 and 25 November 2024 (Daytime)

04&05, 12&13, 21&22 and 25&26 November 2024 (Evening & Nighttime)

Parameter:  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
4 Nov 2024	11:48	-	12:18	Sunny	54.4	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
4 Nov 2024	19:15	-	19:20	Fine	54.4	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:10	-	20:15		53.9		
	21:25	-	21:30		51.2		
5 Nov 2024	1:20	-	1:25	Fine	47.2	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:25	-	3:30		48.1		
	5:20	-	5:25		47.9		
12 Nov 2024	13:56	-	14:26	Sunny	57.4	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
12 Nov 2024	19:16	-	19:21	Fine	53.5	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:11	-	20:16		48.6		
	21:11	-	21:16		44.1		
13 Nov 2024	1:11	-	1:16	Fine	48.1	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:16	-	3:21		46.8		
	5:21	-	5:26		45.4		
21 Nov 2024	15:04	-	15:34	Fine	59.5	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
21 Nov 2024	19:09	-	19:14	Fine	58.7	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:34	-	20:39		58.5		
	21:09	-	21:14		60.3		
22 Nov 2024	1:29	-	1:34	Fine	58.6	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:34	-	3:39		59.4		
	5:29	-	5:34		57.8		
25 Nov 2024	13:52	-	14:22	Sunny	57.9	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
25 Nov 2024	19:07	-	19:12	Fine	51.7	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:12	-	20:17		49.3		
	21:07	-	21:12		48.0		
26 Nov 2024	1:32	-	1:37	Fine	49.4	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:17	-	3:22		48.3		
	5:12	-	5:17		48.7		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N\_S2)

Monitoring date: 04, 12, 21 and 25 November 2024 (Daytime)

04&05, 12&13, 21&22 and 25&26 November 2024 (Evening & Nighttime)

Parameter:  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
4 Nov 2024	11:27	-	11:57	Sunny	53.5	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
4 Nov 2024	19:12	-	19:17	Fine	59.4	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	20:17	-	20:22		58.4		
	21:42	-	21:47		56.0		
5 Nov 2024	1:12	-	1:17	Fine	46.3	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	3:22	-	3:27		44.9		
	5:32	-	5:37		42.8		
12 Nov 2024	13:39	-	14:09	Sunny	55.6	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
12 Nov 2024	19:14	-	19:19	Fine	52.4	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	20:24	-	20:29		49.3		
	21:34	-	21:39		48.3		
13 Nov 2024	1:14	-	1:19	Fine	47.6	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	3:24	-	3:29		46.0		
	5:29	-	5:34		47.0		
21 Nov 2024	14:53	-	15:23	Fine	54.1	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
21 Nov 2024	19:08	-	19:13	Fine	53.1	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	20:33	-	20:38		50.9		
	21:08	-	21:13		50.6		
22 Nov 2024	1:28	-	1:33	Fine	48.4	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	3:33	-	3:38		48.4		
	5:28	-	5:33		48.4		
25 Nov 2024	13:39	-	14:09	Sunny	54.1	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
25 Nov 2024	19:09	-	19:14	Fine	49.8	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	20:14	-	20:19		52.3		
	21:09	-	21:14		52.6		
26 Nov 2024	1:29	-	1:34	Fine	46.3	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	3:19	-	3:24		47.9		
	5:19	-	5:24		51.1		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N\_S3)

Monitoring date: 04, 12, 21 and 25 November 2024 (Daytime)

04&05, 12&13, 21&22 and 25&26 November 2024 (Evening & Nighttime)

Parameter:  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Operation of nearby Air Quality Monitoring Station

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
4 Nov 2024	13:10	-	13:40	Sunny	58.2	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
4 Nov 2024	19:30	-	19:35	Fine	52.8	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:20	-	20:25		52.3		
	21:20	-	21:25		50.3		
5 Nov 2024	1:35	-	1:40	Fine	47.9	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:25	-	3:30		46.2		
	5:25	-	5:30		46.2		
12 Nov 2024	13:17	-	13:47	Sunny	56.0	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
12 Nov 2024	19:22	-	19:27	Fine	49.0	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:27	-	20:32		48.3		
	21:27	-	21:32		48.5		
13 Nov 2024	1:32	-	1:37	Fine	44.6	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:12	-	3:17		49.5		
	5:17	-	5:22		54.1		
21 Nov 2024	14:50	-	15:20	Fine	56.0	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
21 Nov 2024	19:05	-	19:10	Fine	56.1	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:35	-	20:40		48.0		
	21:05	-	21:10		50.3		
22 Nov 2024	1:25	-	1:30	Fine	56.9	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:30	-	3:35		47.1		
	5:35	-	5:40		50.7		
25 Nov 2024	14:18	-	14:48	Sunny	56.7	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
25 Nov 2024	19:43	-	19:48	Fine	53.5	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:23	-	20:28		50.5		
	21:13	-	21:18		49.3		
26 Nov 2024	1:28	-	1:33	Fine	49.4	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:18	-	3:23		47.3		
	5:18	-	5:23		49.4		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N\_S1)

Monitoring date: 02, 09, 16, 23 and 30 December 2024 (Daytime)

02&03, 09&10, 16&17, 23&24 and 30&31 December 2024 (Evening & Nighttime)

Parameter:  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
2 Dec 2024	13:48	-	14:18	Sunny	57.2	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
2 Dec 2024	19:23	-	19:28	Fine	53.1	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:28	-	20:33		52.4		
	21:33	-	21:38		43.5		
2 Dec 2024	1:33	-	1:38	Fine	47.9	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:23	-	3:28		47.3		
	5:28	-	5:33		46.7		
9 Dec 2024	14:29	-	14:59	Sunny	60.5	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
9 Dec 2024	19:09	-	19:14	Fine	60.5	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:34	-	20:39		56.9		
	21:29	-	21:34		56.7		
10 Dec 2024	1:34	-	1:39	Fine	50.3	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:39	-	3:44		48.7		
	5:04	-	5:09		52.1		
16 Dec 2024	14:26	-	14:56	Sunny	56.5	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
16 Dec 2024	19:11	-	19:16	Fine	53.3	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:21	-	20:26		53.1		
	21:21	-	21:26		43.7		
17 Dec 2024	1:31	-	1:36	Fine	49.0	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:31	-	3:36		47.1		
	5:21	-	5:26		46.7		
23 Dec 2024	13:26	-	13:56	Sunny	59.0	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
23 Dec 2024	19:21	-	19:26	Fine	53.7	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:16	-	20:21		53.4		
	21:31	-	21:36		52.1		
24 Dec 2024	1:16	-	1:21	Fine	50.5	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:46	-	3:51		56.0		
	5:31	-	5:36		51.0		

<b>Date</b>	<b>Start time</b>		<b>End time</b>	<b>Weather</b>	<b>L<sub>eq 30min</sub> dB(A) / L<sub>eq 5min</sub> dB(A)</b>	<b>Sound Level Meter Used</b>	<b>Calibrator Used</b>
30 Dec 2024	13:49	-	14:19	Sunny	57.2	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
30 Dec 2024	19:24	-	19:29	Fine	52.8	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:19	-	20:24		47.9		
	21:34	-	21:39		51.1		
31 Dec 2024	1:14	-	1:19	Fine	51.1	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:44	-	3:49		50.6		
	5:19	-	5:24		49.6		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N\_S2)

Monitoring date: 03, 09, 16, 23 and 30 December 2024 (Daytime)

03&04, 09&10, 16&17, 23&24 and 30&31 December 2024 (Evening & Nighttime)

Parameter:  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
3 Dec 2024	13:47	-	14:17	Sunny	54.6	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
3 Dec 2024	19:22	-	19:27	Fine	52.1	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:27	-	20:32		50.4		
	21:32	-	21:37		52.4		
4 Dec 2024	1:32	-	1:37	Fine	50.4	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:22	-	3:27		49.0		
	5:32	-	5:37		48.8		
9 Dec 2024	14:34	-	15:04	Sunny	59.0	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
9 Dec 2024	19:29	-	19:34	Fine	50.7	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	20:34	-	20:39	Fine	52.5		
	21:29	-	21:34	Fine	48.1		
10 Dec 2024	1:34	-	1:39	Fine	45.9	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	3:44	-	3:49	Fine	43.1		
	5:14	-	5:19	Fine	43.3		
16 Dec 2024	14:36	-	15:06	Sunny	59.1	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
16 Dec 2024	19:16	-	19:21	Fine	50.5	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	20:26	-	20:31	Fine	51.0		
	21:26	-	21:31	Fine	44.4		
17 Dec 2024	1:36	-	1:41	Fine	38.3	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	3:26	-	3:31	Fine	38.3		
	5:41	-	5:46	Fine	42.2		
23 Dec 2024	13:37	-	14:07	Sunny	52.6	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
23 Dec 2024	19:22	-	19:27	Fine	51.9	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	20:22	-	20:27	Fine	48.2		
	21:32	-	21:37	Fine	46.6		
24 Dec 2024	1:17	-	1:22	Fine	47.4	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	3:42	-	3:47	Fine	44.5		
	5:32	-	5:37	Fine	48.5		

<b>Date</b>	<b>Start time</b>		<b>End time</b>	<b>Weather</b>	<b>L<sub>eq 30min</sub> dB(A) / L<sub>eq 5min</sub> dB(A)</b>	<b>Sound Level Meter Used</b>	<b>Calibrator Used</b>
30 Dec 2024	13:46	-	14:16	Sunny	53.1	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
30 Dec 2024	19:21	-	19:26	Fine	51.6	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	20:16	-	20:21	Fine	48.0		
	21:41	-	21:46	Fine	46.9		
31 Dec 2024	1:16	-	1:21	Fine	48.0	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	3:46	-	3:51	Fine	54.3		
	5:21	-	5:26	Fine	51.5		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N\_S3)

Monitoring date: 02, 09, 16, 23 and 30 December 2024 (Daytime)

02&03, 09&10, 16&17, 23&24 and 30&31 December 2024 (Evening & Nighttime)

Parameter:  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Operation of nearby Air Quality Monitoring Station

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
2 Dec 2024	13:46	-	14:16	Sunny	54.9	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
2 Dec 2024	19:26	-	19:31	Fine	53.4	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:26	-	20:31		51.9		
	21:26	-	21:31		50.7		
2 Dec 2024	1:31	-	1:36	Fine	50.8	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:21	-	3:26		51.1		
	5:31	-	5:36		51.0		
9 Dec 2024	14:48	-	15:18	Sunny	57.8	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
9 Dec 2024	19:18	-	19:23	Fine	56.0	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:33	-	20:38		55.9		
	21:28	-	21:33		56.2		
10 Dec 2024	1:38	-	1:43	Fine	55.7	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:43	-	3:48		55.5		
	5:18	-	5:23		55.9		
16 Dec 2024	14:36	-	15:06	Sunny	53.9	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
16 Dec 2024	19:16	-	19:21	Fine	44.1	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:26	-	20:31		43.6		
	21:26	-	21:31		42.4		
17 Dec 2024	1:26	-	1:31	Fine	42.6	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:26	-	3:31		43.0		
	5:36	-	5:41		43.1		
23 Dec 2024	13:48	-	14:18	Sunny	54.6	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
23 Dec 2024	19:23	-	19:28	Fine	47.4	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:23	-	20:28		44.9		
	21:23	-	21:28		46.3		
24 Dec 2024	1:18	-	1:23	Fine	46.2	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:43	-	3:48		45.1		
	5:28	-	5:33		44.6		

<b>Date</b>	<b>Start time</b>		<b>End time</b>	<b>Weather</b>	<b>L<sub>eq 30min</sub> dB(A) / L<sub>eq 5min</sub> dB(A)</b>	<b>Sound Level Meter Used</b>	<b>Calibrator Used</b>
30 Dec 2024	13:50	-	14:20	Sunny	56.5	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
30 Dec 2024	19:20	-	19:25	Fine	48.3	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:15	-	20:20		44.2		
	21:40	-	21:45		47.1		
31 Dec 2024	1:15	-	1:20	Fine	43.5	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:45	-	3:50		43.5		
	5:25	-	5:30		43.1		