


## Appendix D Noise Monitoring Data Trending


## Impact Noise Monitoring Results during Day Time (0700 - 1900 hours)



Remark:

1. Construction works carried out during reporting month refer to **Table 1.2**.
2. Weather condition recorded and noise source other than construction activities from the Project observed during the monitoring events refer to noise monitoring data summary in **Appendix D**.


## Additional Impact Noise Monitoring Results during Evening Time (1900 - 2300 hours)



Remark:

1. Construction works carried out during reporting month refer to **Table 1.2**.
2. Weather condition recorded and noise source other than construction activities from the Project observed during the monitoring events refer to noise monitoring data summary in **Appendix D**.

## Additional Impact Noise Monitoring Results during Night Time (2300 - 0700 hours)



Remark:

1. Construction works carried out during reporting month refer to **Table 1.2**.
2. Weather condition recorded and noise source other than construction activities from the Project observed during the monitoring events refer to noise monitoring data summary in **Appendix D**.

**Summary of the Construction Activities Undertaken during the Reporting Period**

<b>Location of works</b>	<b>Construction activities undertaken</b>	<b>Remarks on progress</b>
Reclamation area	<ul style="list-style-type: none"><li>• Pile cap construction</li><li>• Superstructure construction</li></ul>	<ul style="list-style-type: none"><li>• Completed</li><li>• On-going</li></ul>
Seawall portion	<ul style="list-style-type: none"><li>• Caisson extension works, from +3mPD to +6mPD, at Seawall A and B</li><li>• Construction of wave wall along the vertical seawall above +3mPD</li></ul>	<ul style="list-style-type: none"><li>• On-going</li><li>• On-going</li></ul>

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N\_S1)

Monitoring date: 06, 13, 20 and 27 January 2025 (Daytime)

06&07, 13&14, 20&21 and 27&28 January 2025 (Evening & Nighttime)

Parameter:  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
6 Jan 2025	14:25	-	14:55	Sunny	57.5	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
6 Jan 2025	19:20	-	19:25	Fine	53.3	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:35	-	20:40		51.3		
	21:25	-	21:30		46.8		
7 Jan 2025	1:20	-	1:25	Fine	44.0	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:15	-	3:20		44.3		
	5:20	-	5:25		43.0		
13 Jan 2025	14:39	-	15:09	Sunny	58.2	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
13 Jan 2025	19:14	-	19:19	Fine	49.9	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:19	-	20:24		49.6		
	21:14	-	21:19		47.5		
14 Jan 2025	1:24	-	1:29	Fine	42.5	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:24	-	3:29		40.5		
	5:24	-	5:29		41.5		
20 Jan 2025	13:43	-	14:13	Sunny	57.5	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
20 Jan 2025	19:13	-	19:18	Fine	45.0	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:08	-	20:13		45.2		
	21:08	-	21:13		44.4		
21 Jan 2025	1:28	-	1:33	Fine	41.0	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:28	-	3:33		40.1		
	5:33	-	5:38		38.9		
27 Jan 2025	13:48	-	14:18	Sunny	52.0	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
27 Jan 2025	19:28	-	19:33	Fine	42.9	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:23	-	20:28		40.6		
	21:08	-	21:13		46.3		
28 Jan 2025	1:18	-	1:23	Fine	40.5	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:13	-	3:18		41.5		
	5:23	-	5:28		42.5		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N\_S2)

Monitoring date: 06, 13, 20 and 27 January 2025 (Daytime)

06&07, 13&14, 20&21 and 27&28 January 2025 (Evening & Nighttime)

Parameter:  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
6 Jan 2025	14:07	-	14:37	Sunny	56.0	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
6 Jan 2025	19:12	-	19:17	Fine	53.8	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	20:32	-	20:37		50.8		
	21:32	-	21:37		48.5		
7 Jan 2025	1:17	-	1:22	Fine	43.1	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	3:12	-	3:17		44.3		
	5:22	-	5:27		46.0		
13 Jan 2025	14:21	-	14:51	Sunny	55.7	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
13 Jan 2025	19:16	-	19:21	Fine	51.6	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	20:16	-	20:21		49.1		
	21:11	-	21:16		49.8		
14 Jan 2025	1:21	-	1:26	Fine	49.5	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	3:21	-	3:26		49.1		
	5:26	-	5:31		43.0		
20 Jan 2025	13:56	-	14:26	Sunny	54.2	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
20 Jan 2025	19:21	-	19:26	Fine	46.7	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	20:06	-	20:11		44.9		
	21:06	-	21:11		43.8		
21 Jan 2025	1:26	-	1:31	Fine	42.1	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	3:21	-	3:26		43.4		
	5:21	-	5:26		42.3		
27 Jan 2025	13:34	-	14:04	Sunny	55.3	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
27 Jan 2025	19:29	-	19:34	Fine	43.8	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	20:24	-	20:29		45.0		
	21:14	-	21:19		48.6		
28 Jan 2025	1:19	-	1:24	Fine	49.3	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	3:14	-	3:19		52.2		
	5:14	-	5:19		49.5		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N\_S3)

Monitoring date: 06, 13, 20 and 27 January 2025 (Daytime)

06&07, 13&14, 20&21 and 27&28 January 2025 (Evening & Nighttime)

Parameter:  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Operation of nearby Air Quality Monitoring Station

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
6 Jan 2025	14:13	-	14:43	Sunny	52.7	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
6 Jan 2025	19:13	-	19:18	Fine	47.9	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:28	-	20:33		46.2		
	21:43	-	21:48		48.6		
7 Jan 2025	1:18	-	1:23	Fine	45.5	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:13	-	3:18		46.0		
	5:18	-	5:23		45.7		
13 Jan 2025	14:37	-	15:07	Sunny	54.0	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
13 Jan 2025	19:17	-	19:22	Fine	50.4	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:17	-	20:22		49.4		
	21:07	-	21:12		49.5		
14 Jan 2025	1:37	-	1:42	Fine	49.8	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:42	-	3:47		49.3		
	5:32	-	5:37		49.3		
20 Jan 2025	13:52	-	14:22	Sunny	53.8	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
20 Jan 2025	19:22	-	19:27	Fine	41.9	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:07	-	20:12		43.0		
	21:12	-	21:17		43.5		
21 Jan 2025	1:27	-	1:32	Fine	41.8	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:22	-	3:27		43.1		
	5:22	-	5:27		43.5		
27 Jan 2025	13:41	-	14:11	Sunny	49.7	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
27 Jan 2025	19:26	-	19:31	Fine	42.8	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:21	-	20:26		43.8		
	21:06	-	21:11		43.6		
28 Jan 2025	1:16	-	1:21	Fine	42.7	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:16	-	3:21		42.6		
	5:11	-	5:16		42.8		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N\_S1)

Monitoring date: 03, 10, 17 and 24 February 2025 (Daytime)

03&04, 10&11, 17&18 and 24&25 February 2025 (Evening & Nighttime)

Parameter:  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
3 Feb 2025	14:18	-	14:48	Sunny	55.4	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
3 Feb 2025	19:33	-	19:38	Fine	53.0	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:18	-	20:23		52.7		
	21:18	-	21:23		47.0		
4 Feb 2025	1:23	-	1:28	Fine	46.6	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:18	-	3:23		43.4		
	5:18	-	5:23		42.2		
10 Feb 2025	13:56	-	14:26	Cloudy	58.0	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
10 Feb 2025	19:16	-	19:21	Fine	45.0	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:16	-	20:21		46.8		
	21:11	-	21:16		42.7		
11 Feb 2025	1:34	-	1:39	Fine	42.9	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:36	-	3:41		43.1		
	5:16	-	5:21		41.2		
17 Feb 2025	14:19	-	14:49	Sunny	58.0	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
17 Feb 2025	19:19	-	19:24	Fine	47.0	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:14	-	20:19		44.6		
	21:14	-	21:19		43.1		
18 Feb 2025	1:19	-	1:24	Fine	39.0	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:24	-	3:29		40.6		
	5:19	-	5:24		39.7		
24 Feb 2025	14:52	-	15:22	Sunny	57.4	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
24 Feb 2025	19:12	-	19:17	Fine	48.9	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:17	-	20:22		49.4		
	21:17	-	21:22		45.4		
25 Feb 2025	1:27	-	1:32	Fine	43.3	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:22	-	3:27		44.3		
	5:22	-	5:27		41.2		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N\_S2)

Monitoring date: 03, 10, 17 and 24 February 2025 (Daytime)

03&04, 10&11, 17&18 and 24&25 February 2025 (Evening & Nighttime)

Parameter:  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
3 Feb 2025	14:22	-	14:52	Sunny	56.4	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
3 Feb 2025	19:32	-	19:37	Fine	54.0	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	20:17	-	20:22		46.8		
	21:17	-	21:22		59.3		
4 Feb 2025	1:27	-	1:32	Fine	56.6	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	3:17	-	3:22		57.5		
	5:22	-	5:27		51.9		
10 Feb 2025	13:39	-	14:09	Cloudy	55.2	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
10 Feb 2025	19:19	-	19:24	Fine	43.6	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	20:14	-	20:19		47.2		
	21:09	-	21:14		45.1		
11 Feb 2025	1:34	-	1:39	Fine	47.3	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	3:24	-	3:29		47.0		
	5:14	-	5:19		49.3		
17 Feb 2025	14:31	-	15:01	Sunny	59.3	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
17 Feb 2025	19:16	-	19:21	Fine	52.7	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	20:16	-	20:21		53.2		
	21:11	-	21:16		53.3		
18 Feb 2025	1:16	-	1:21	Fine	42.4	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	3:26	-	3:31		42.9		
	5:16	-	5:21		42.6		
24 Feb 2025	14:31	-	15:01	Sunny	60.9	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
24 Feb 2025	19:16	-	19:21	Fine	50.8	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	20:21	-	20:26		51.0		
	21:01	-	21:06		58.9		
25 Feb 2025	1:26	-	1:31	Fine	48.7	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	3:21	-	3:26		49.6		
	5:21	-	5:26		44.1		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N\_S3)

Monitoring date: 03, 10, 17 and 24 February 2025 (Daytime)

03&04, 10&11, 17&18 and 24&25 February 2025 (Evening & Nighttime)

Parameter:  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Operation of nearby Air Quality Monitoring Station

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
3 Feb 2025	14:16	-	14:46	Sunny	53.9	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
3 Feb 2025	19:31	-	19:36	Fine	43.2	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:16	-	20:21		42.6		
	21:16	-	21:21		49.7		
4 Feb 2025	1:26	-	1:31	Fine	43.5	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:16	-	3:21		43.6		
	5:21	-	5:26		43.1		
10 Feb 2025	13:46	-	14:16	Cloudy	56.7	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
10 Feb 2025	19:16	-	19:21	Fine	55.7	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:16	-	20:21		54.7		
	21:11	-	21:16		54.8		
11 Feb 2025	1:36	-	1:41	Fine	54.7	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:21	-	3:26		54.6		
	5:16	-	5:21		55.0		
17 Feb 2025	14:11	-	14:41	Sunny	59.9	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
17 Feb 2025	19:16	-	19:21	Fine	46.5	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:16	-	20:21		44.7		
	21:11	-	21:16		44.8		
18 Feb 2025	1:21	-	1:26	Fine	44.0	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:36	-	3:41		45.0		
	5:16	-	5:21		43.9		
24 Feb 2025	14:42	-	15:12	Sunny	55.7	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
24 Feb 2025	19:17	-	19:22	Fine	50.3	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:17	-	20:22		49.7		
	21:17	-	21:22		50.0		
25 Feb 2025	1:27	-	1:32	Fine	53.2	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:17	-	3:22		53.1		
	5:22	-	5:27		49.5		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N\_S1)

Monitoring date: 03, 10, 17, 24 and 31 March 2025 (Daytime)

03&04, 10&11, 17&18, 24&25 and 31 March & 1 April 2025 (Evening & Nighttime)

Parameter:  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
03 Mar 2025	14:21	-	14:51	Sunny	57.6	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
03 Mar 2025	19:11	-	19:16	Fine	52.6	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:16	-	20:21		51.7		
	21:16	-	21:21		49.5		
04 Mar 2025	1:26	-	1:31	Fine	43.5	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:11	-	3:16		43.4		
	5:16	-	5:21		42.6		
10 Mar 2025	14:28	-	14:58	Sunny	54.5	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
10 Mar 2025	19:13	-	19:18	Fine	52.2	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:18	-	20:23		48.5		
	21:18	-	21:23		48.5		
11 Mar 2025	1:18	-	1:23	Fine	46.2	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:18	-	3:23		44.9		
	5:18	-	5:23		45.1		
17 Mar 2025	14:47	-	15:17	Sunny	58.7	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
17 Mar 2025	19:12	-	19:17	Fine	53.0	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:27	-	20:32		49.1		
	21:27	-	21:32		47.2		
18 Mar 2025	1:17	-	1:22	Fine	43.1	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:12	-	3:17		42.0		
	5:12	-	5:17		42.9		
24 Mar 2025	14:28	-	14:58	Sunny	58.5	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
24 Mar 2025	19:18	-	19:23	Fine	53.4	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:18	-	20:23		52.8		
	21:28	-	21:33		50.4		
25 Mar 2025	1:23	-	1:28	Fine	45.2	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:13	-	3:18		42.4		
	5:13	-	5:18		43.3		

<b>Date</b>	<b>Start time</b>		<b>End time</b>	<b>Weather</b>	<b>L<sub>eq 30min</sub> dB(A) / L<sub>eq 5min</sub> dB(A)</b>	<b>Sound Level Meter Used</b>	<b>Calibrator Used</b>
31 Mar 2025	14:58	-	15:28	Sunny	63.7	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
31 Mar 2025	19:18	-	19:23	Fine	58.1	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:03	-	20:08		58.6		
	21:23	-	21:28		59.0		
01 Apr 2025	1:28	-	1:33	Fine	56.0	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:53	-	3:58		59.5		
	5:48	-	5:53		59.2		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N\_S2)

Monitoring date: 03, 10, 17, 24 and 31 March 2025 (Daytime)

03&04, 10&11, 17&18, 24&25 and 31 March & 1 April 2025 (Evening & Nighttime)

Parameter:  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
03 Mar 2025	14:30	-	15:00	Sunny	61.6	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
03 Mar 2025	19:05	-	19:10	Fine	57.2	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	20:15	-	20:20		59.5		
	21:30	-	21:35		53.8		
04 Mar 2025	1:30	-	1:35	Fine	54.0	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	3:20	-	3:25		50.7		
	5:20	-	5:25		49.4		
10 Mar 2025	14:27	-	14:57	Sunny	56.3	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
10 Mar 2025	19:12	-	19:17	Fine	53.7	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	20:22	-	20:27		54.0		
	21:37	-	21:42		59.8		
11 Mar 2025	1:17	-	1:22	Fine	49.9	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	3:17	-	3:22		44.1		
	5:17	-	5:22		45.1		
17 Mar 2025	14:57	-	15:27	Sunny	56.2	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
17 Mar 2025	19:22	-	19:27	Fine	51.9	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	20:27	-	20:32		49.2		
	21:27	-	21:32		47.9		
18 Mar 2025	1:17	-	1:22	Fine	43.7	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	3:12	-	3:17		45.6		
	5:17	-	5:22		59.7		
24 Mar 2025	14:33	-	15:03	Sunny	57.1	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
24 Mar 2025	19:18	-	19:23	Fine	51.6	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	20:18	-	20:23		50.9		
	21:28	-	21:33		48.4		
25 Mar 2025	1:23	-	1:28	Fine	44.0	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	3:13	-	3:18		43.4		
	5:18	-	5:23		44.2		

<b>Date</b>	<b>Start time</b>		<b>End time</b>	<b>Weather</b>	<b>L<sub>eq 30min</sub> dB(A) / L<sub>eq 5min</sub> dB(A)</b>	<b>Sound Level Meter Used</b>	<b>Calibrator Used</b>
31 Mar 2025	14:34	-	15:04	Sunny	56.8	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
31 Mar 2025	19:19	-	19:24	Fine	49.9	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	20:04	-	20:09		50.0		
	21:24	-	21:29		50.2		
01 Apr 2025	1:34	-	1:39	Fine	46.3	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	3:54	-	3:59		47.0		
	5:49	-	5:54		49.3		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N\_S3)

Monitoring date: 03, 10, 17, 24 and 31 March 2025 (Daytime)

03&04, 10&11, 17&18, 24&25 and 31 March & 1 April 2025 (Evening & Nighttime)

Parameter:  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Operation of nearby Air Quality Monitoring Station

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
03 Mar 2025	14:46	-	15:16	Sunny	57.6	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
03 Mar 2025	19:16	-	19:21	Fine	45.2	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:06	-	20:11		44.8		
	21:06	-	21:11		52.6		
04 Mar 2025	1:36	-	1:41	Fine	44.0	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:16	-	3:21		43.3		
	5:21	-	5:26		43.4		
10 Mar 2025	14:16	-	14:46	Sunny	57.4	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
10 Mar 2025	19:11	-	19:16	Fine	55.4	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:21	-	20:26		55.3		
	9:21	-	9:26		55.5		
11 Mar 2025	1:46	-	1:51	Fine	54.9	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:26	-	3:31		54.5		
	5:11	-	5:16		54.5		
17 Mar 2025	14:39	-	15:09	Sunny	54.4	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
17 Mar 2025	19:14	-	19:19	Fine	46.3	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:24	-	20:29		43.6		
	21:29	-	21:34		42.2		
18 Mar 2025	1:19	-	1:24	Fine	42.0	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:14	-	3:19		41.7		
	5:14	-	5:19		44.8		
24 Mar 2025	14:20	-	14:50	Sunny	57.2	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
24 Mar 2025	19:15	-	19:20	Fine	47.7	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:15	-	20:20		49.5		
	21:25	-	21:30		49.9		
25 Mar 2025	1:25	-	1:30	Fine	44.3	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:15	-	3:20		47.4		
	5:15	-	5:20		49.4		

<b>Date</b>	<b>Start time</b>		<b>End time</b>	<b>Weather</b>	<b><math>L_{eq\ 30min\ dB(A)} / L_{eq\ 5min\ dB(A)}</math></b>	<b>Sound Level Meter Used</b>	<b>Calibrator Used</b>
31 Mar 2025	14:44	-	15:14	Sunny	55.8	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
31 Mar 2025	19:19	-	19:24	Fine	43.9	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:04	-	20:09		45.7		
	21:24	-	21:29		44.8		
01 Apr 2025	1:34	-	1:39	Fine	43.3	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:54	-	3:59		41.2		
	5:49	-	5:54		45.4		