


Appendix C Noise Monitoring Data Trending


Impact Noise Monitoring Results during Day Time (0700 - 1900 hours)



Remark:

1. Construction works carried out during reporting month refer to **Table 1.2**.
2. Weather condition recorded and noise source other than construction activities from the Project observed during the monitoring events refer to noise monitoring data summary in **Appendix D**.


Additional Impact Noise Monitoring Results during Evening Time (1900 - 2300 hours)



Remark:

1. Construction works carried out during reporting month refer to **Table 1.2**.
2. Weather condition recorded and noise source other than construction activities from the Project observed during the monitoring events refer to noise monitoring data summary in **Appendix D**.

Additional Impact Noise Monitoring Results during Night Time (2300 - 0700 hours)



Remark:

1. Construction works carried out during reporting month refer to **Table 1.2**.
2. Weather condition recorded and noise source other than construction activities from the Project observed during the monitoring events refer to noise monitoring data summary in **Appendix D**.

Summary of the Construction Activities Undertaken during the Reporting Period

Location of works	Construction activities undertaken	Remarks on progress
Reclamation area	<ul style="list-style-type: none">• Superstructure construction	<ul style="list-style-type: none">• On-going
Seawall portion	<ul style="list-style-type: none">• Caisson extension works, from +3mPD to +6mPD, at Seawall A and B• Construction of wave wall along the vertical seawall above +3mPD	<ul style="list-style-type: none">• On-going• On-going

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N_S1)

Monitoring date: 07, 16, 22 and 28 April 2025 (Daytime)

07&08, 16&17, 22&23 and 28&29 April 2025 (Evening & Nighttime)

Parameter: $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
07 Apr 2025	13:56	-	14:26	Sunny	55.8	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
07 Apr 2025	19:11	-	19:16	Fine	52.0	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:11	-	20:16		49.2		
	21:11	-	21:16		45.5		
08 Apr 2025	1:21	-	1:26	Fine	44.7	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:16	-	3:21		44.4		
	5:11	-	5:16		49.0		
16 Apr 2025	13:20	-	13:50	Sunny	57.4	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
16 Apr 2025	19:15	-	19:20	Fine	56.6	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:20	-	20:25		50.5		
	21:20	-	21:25		47.0		
17 Apr 2025	1:30	-	1:35	Fine	45.4	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:15	-	3:20		47.9		
	5:10	-	5:15		49.3		
22 Apr 2025	13:35	-	14:05	Fine	51.7	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
22 Apr 2025	19:05	-	19:10	Fine	38.2	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:15	-	20:20		43.1		
	21:45	-	21:50		42.3		
23 Apr 2025	1:25	-	1:30	Fine	44.5	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:20	-	3:25		44.0		
	5:25	-	5:30		44.5		
28 Apr 2025	14:04	-	14:34	Fine	56.3	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
28 Apr 2025	19:14	-	19:19	Fine	55.6	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:09	-	20:14		54.8		
	21:09	-	21:14		51.1		
29 Apr 2025	1:29	-	1:34	Fine	48.5	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:19	-	3:24		47.5		
	5:24	-	5:29		49.7		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N_S2)

Monitoring date: 07, 14, 22 and 28 April 2025 (Daytime)

07&08, 14&15, 22&23 and 28&29 April 2025 (Evening & Nighttime)

Parameter: $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
07 Apr 2025	13:34	-	14:04	Sunny	53.1	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
07 Apr 2025	19:14	-	19:19	Fine	50.0	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	20:14	-	20:19		50.2		
	21:14	-	21:19		48.6		
08 Apr 2025	1:19	-	1:24	Fine	46.2	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	3:14	-	3:19		43.9		
	5:14	-	5:19		43.0		
14 Apr 2025	13:54	-	14:24	Sunny	54.2	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
14 Apr 2025	19:14	-	19:19	Fine	55.3	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	20:24	-	20:29		50.8		
	21:34	-	21:39		49.3		
15 Apr 2025	1:14	-	1:19	Fine	47.8	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	3:29	-	3:34		47.1		
	5:09	-	5:14		49.8		
22 Apr 2025	13:08	-	13:38	Fine	54.3	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
22 Apr 2025	19:13	-	19:18	Fine	54.6	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	20:13	-	20:18		53.3		
	21:18	-	21:23		52.6		
23 Apr 2025	1:23	-	1:28	Fine	48.1	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	3:18	-	3:23		49.4		
	5:28	-	5:33		53.0		
28 Apr 2025	13:51	-	14:21	Fine	56.2	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
28 Apr 2025	19:16	-	19:21	Fine	54.7	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	20:06	-	20:11		54.3		
	21:11	-	21:16		50.2		
29 Apr 2025	1:31	-	1:36	Fine	48.6	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	3:21	-	3:26		51.1		
	5:11	-	5:16		54.0		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N_S3)

Monitoring date: 07, 14, 22 and 28 April 2025 (Daytime)

07&08, 14&15, 22&23 and 28&29 April 2025 (Evening & Nighttime)

Parameter: $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Operation of nearby Air Quality Monitoring Station

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
07 Apr 2025	13:42	-	14:12	Sunny	53.8	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
07 Apr 2025	19:12	-	19:17	Fine	54.4	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:12	-	20:17		49.5		
	21:12	-	21:17		50.1		
08 Apr 2025	1:12	-	1:17	Fine	49.8	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:12	-	3:17		52.2		
	5:12	-	5:17		49.7		
14 Apr 2025	13:44	-	14:14	Sunny	54.7	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
14 Apr 2025	19:19	-	19:24	Fine	55.0	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:04	-	20:09		55.7		
	21:34	-	21:39		55.3		
15 Apr 2025	1:24	-	1:29	Fine	54.7	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:29	-	3:34		54.8		
	5:14	-	5:19		54.7		
22 Apr 2025	13:31	-	14:01	Fine	57.1	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
22 Apr 2025	19:11	-	19:16	Fine	53.6	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:11	-	20:16		53.6		
	21:16	-	21:21		53.5		
23 Apr 2025	1:26	-	1:31	Fine	53.3	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:16	-	3:21		55.6		
	5:21	-	5:26		53.3		
28 Apr 2025	13:39	-	14:09	Fine	56.6	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
28 Apr 2025	19:09	-	19:14	Fine	51.5	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:09	-	20:14		55.6		
	21:19	-	21:24		51.9		
29 Apr 2025	1:14	-	1:19	Fine	49.9	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:14	-	3:19		46.6		
	5:19	-	5:24		44.9		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N_S1)

Monitoring date: 06, 12, 22 and 26 May 2025 (Daytime)

06&07, 12&13, 22&23 and 26&27 May 2025 (Evening & Nighttime)

Parameter: $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
06 May 2025	14:10	-	14:40	Fine	58.1	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
06 May 2025	19:10	-	19:15	Fine	54.2	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:10	-	20:15		55.5		
	21:05	-	21:10		51.9		
07 May 2025	1:05	-	1:10	Fine	49.8	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:10	-	3:15		49.4		
	5:05	-	5:10		49.7		
12 May 2025	14:20	-	14:50	Fine	57.3	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
12 May 2025	19:05	-	19:10	Fine	52.6	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:15	-	20:20		52.8		
	21:15	-	21:20		50.0		
13 May 2025	1:15	-	1:20	Fine	46.2	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:30	-	3:35		48.9		
	5:20	-	5:25		54.5		
22 May 2025	14:14	-	14:44	Sunny	58.4	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
22 May 2025	19:14	-	19:19	Fine	57.0	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:09	-	20:14		56.4		
	21:14	-	21:19		56.5		
23 May 2025	1:19	-	1:24	Fine	48.8	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:14	-	3:19		48.7		
	5:14	-	5:19		49.7		
26 May 2025	14:21	-	14:51	Cloudy	58.2	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
26 May 2025	19:16	-	19:21	Fine	55.0	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:16	-	20:21		54.9		
	21:26	-	21:31		50.5		
27 May 2025	1:41	-	1:46	Fine	46.9	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:21	-	3:26		47.8		
	5:31	-	5:36		53.0		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N_S2)

Monitoring date: 06, 12, 22 and 26 May 2025 (Daytime)

06&07, 12&13, 22&23 and 26&27 May 2025 (Evening & Nighttime)

Parameter: $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
06 May 2025	14:18	-	14:48	Fine	55.1	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
06 May 2025	19:13	-	19:18	Fine	53.5	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	20:18	-	20:23		52.3		
	21:18	-	21:23		51.3		
07 May 2025	1:08	-	1:13	Fine	49.5	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	3:18	-	3:23		48.9		
	5:03	-	5:08		49.2		
12 May 2025	14:30	-	15:00	Fine	57.9	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
12 May 2025	19:10	-	19:15	Fine	51.2	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	20:15	-	20:20		51.2		
	21:15	-	21:20		50.2		
13 May 2025	1:20	-	1:25	Fine	47.4	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	3:30	-	3:35		49.5		
	5:35	-	5:40		53.1		
22 May 2025	14:26	-	14:56	Sunny	56.3	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
22 May 2025	19:16	-	19:21	Fine	54.1	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	20:06	-	20:11		54.0		
	21:11	-	21:16		55.1		
23 May 2025	1:11	-	1:16	Fine	50.6	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	3:16	-	3:21		50.8		
	5:11	-	5:16		57.6		
26 May 2025	14:04	-	14:34	Cloudy	57.8	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
26 May 2025	19:14	-	19:19	Fine	52.9	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	20:14	-	20:19		53.4		
	21:24	-	21:29		50.1		
27 May 2025	1:44	-	1:49	Fine	48.4	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	3:24	-	3:29		48.1		
	5:34	-	5:39		56.9		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N_S3)

Monitoring date: 07, 12, 22 and 27 May 2025 (Daytime)

07&08, 12&13, 22&23 and 27&28 May 2025 (Evening & Nighttime)

Parameter: $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Operation of nearby Air Quality Monitoring Station

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
07 May 2025	14:24	-	14:54	Fine	53.5	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
07 May 2025	19:09	-	19:14	Fine	36.4	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:14	-	20:19		37.7		
	21:19	-	21:24		38.7		
08 May 2025	1:09	-	1:14	Fine	37.9	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:19	-	3:24		36.6		
	5:09	-	5:14		35.7		
12 May 2025	14:19	-	14:49	Fine	55.2	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
12 May 2025	19:09	-	19:14	Fine	53.9	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:14	-	20:19		54.8		
	21:14	-	21:19		53.8		
13 May 2025	1:24	-	1:29	Fine	56.1	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:24	-	3:29		55.3		
	5:39	-	5:44		53.8		
22 May 2025	14:13	-	14:43	Sunny	63.1	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
22 May 2025	19:18	-	19:23	Fine	55.8	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:08	-	20:13		53.0		
	21:13	-	21:18		54.2		
23 May 2025	1:13	-	1:18	Fine	51.7	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:13	-	3:18		54.2		
	5:13	-	5:18		55.3		
27 May 2025	14:16	-	14:46	Cloudy	56.4	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
27 May 2025	19:26	-	19:31	Fine	55.5	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:16	-	20:21		54.9		
	21:26	-	21:31		55.2		
28 May 2025	1:46	-	1:51	Fine	55.5	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:16	-	3:21		55.5		
	5:26	-	5:31		55.6		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N_S1)

Monitoring date: 03, 09, 16 and 24 June 2025 (Daytime)

03&04, 09&10, 16&17 and 24&25 June 2025 (Evening & Nighttime)

Parameter: $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
03 Jun 2025	15:02	-	15:32	Fine	63.1	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
03 Jun 2025	19:17	-	19:22	Fine	63.8	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:22	-	20:27		58.6		
	21:22	-	21:27		57.7		
04 Jun 2025	1:32	-	1:37	Fine	49.9	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:32	-	3:37		49.0		
	5:22	-	5:27		54.6		
09 Jun 2025	14:02	-	14:32	Sunny	62.7	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34524163)
09 Jun 2025	19:42	-	19:47	Fine	57.9	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34524163)
	20:47	-	20:52		57.9		
	21:42	-	21:47		56.5		
10 Jun 2025	1:42	-	1:47	Fine	49.3	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34524163)
	3:47	-	3:52		49.2		
	5:12	-	5:17		55.1		
16 Jun 2025	14:14	-	14:44	Sunny	58.3	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34524163)
16 Jun 2025	19:19	-	19:24	Fine	53.9	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34524163)
	20:14	-	20:19		52.7		
	21:14	-	21:19		51.4		
17 Jun 2025	1:19	-	1:24	Fine	48.9	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34524163)
	3:19	-	3:24		50.2		
	5:24	-	5:29		50.8		
24 Jun 2025	14:14	-	14:44	Sunny	59.4	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34524163)
24 Jun 2025	19:14	-	19:19	Fine	61.9	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34524163)
	20:19	-	20:24		53.5		
	21:19	-	21:24		53.9		
25 Jun 2025	1:14	-	1:19	Fine	50.5	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34524163)
	3:14	-	3:19		50.7		
	5:14	-	5:19		50.3		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N_S2)

Monitoring date: 02, 09, 16 and 24 June 2025 (Daytime)

02&03, 09&10, 16&17 and 24&25 June 2025 (Evening & Nighttime)

Parameter: $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
02 Jun 2025	14:52	-	15:22	Fine	63.6	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
02 Jun 2025	19:12	-	19:17	Fine	61.4	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	20:12	-	20:17		55.3		
	21:12	-	21:17		55.0		
03 Jun 2025	1:12	-	1:17	Fine	50.7	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	3:12	-	3:17		50.4		
	5:07	-	5:12		50.8		
09 Jun 2025	14:19	-	14:49	Sunny	64.2	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
09 Jun 2025	19:44	-	19:49	Fine	56.7	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	20:44	-	20:49		56.9		
	21:39	-	21:44		55.2		
10 Jun 2025	1:44	-	1:49	Fine	50.5	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	3:44	-	3:49		49.6		
	5:14	-	5:19		58.9		
16 Jun 2025	14:25	-	14:55	Sunny	61.0	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
16 Jun 2025	19:25	-	19:30	Fine	53.8	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	20:15	-	20:20		52.7		
	21:15	-	21:20		52.7		
17 Jun 2025	1:20	-	1:25	Fine	54.8	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	3:15	-	3:20		54.2		
	5:20	-	5:25		52.5		
24 Jun 2025	14:25	-	14:55	Sunny	63.0	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
24 Jun 2025	19:30	-	19:35	Fine	59.2	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	20:30	-	20:35		52.1		
	21:15	-	21:20		52.4		
25 Jun 2025	1:20	-	1:25	Fine	50.1	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	3:15	-	3:20		49.3		
	5:25	-	5:30		57.2		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N_S3)

Monitoring date: 02, 09, 16 and 24 June 2025 (Daytime)

02&03, 09&10, 16&17 and 24&25 June 2025 (Evening & Nighttime)

Parameter: $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Operation of nearby Air Quality Monitoring Station

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
02 Jun 2025	14:51	-	15:21	Fine	63.4	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
02 Jun 2025	19:36	-	19:41	Fine	59.6	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:26	-	20:31		60.6		
	21:16	-	21:21		60.3		
03 Jun 2025	1:16	-	1:21	Fine	60.3	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:26	-	3:31		60.1		
	5:06	-	5:11		59.8		
09 Jun 2025	14:21	-	14:51	Sunny	61.5	SVAN 971 (Serial No. 103449)	Rion NC-75 (No. 34524163)
09 Jun 2025	19:46	-	19:51	Fine	59.9	SVAN 971 (Serial No. 103449)	Rion NC-75 (No. 34524163)
	20:46	-	20:51		60.1		
	21:46	-	21:51		60.3		
10 Jun 2025	1:46	-	1:51	Fine	60.3	SVAN 971 (Serial No. 103449)	Rion NC-75 (No. 34524163)
	3:36	-	3:41		59.9		
	5:21	-	5:26		59.8		
16 Jun 2025	14:07	-	14:37	Sunny	60.6	SVAN 971 (Serial No. 103449)	Rion NC-75 (No. 34524163)
16 Jun 2025	19:37	-	19:42	Fine	52.6	SVAN 971 (Serial No. 103449)	Rion NC-75 (No. 34524163)
	20:17	-	20:22		51.8		
	21:17	-	21:22		48.8		
17 Jun 2025	1:22	-	1:27	Fine	50.6	SVAN 971 (Serial No. 103449)	Rion NC-75 (No. 34524163)
	3:22	-	3:27		51.9		
	5:17	-	5:22		51.3		
24 Jun 2025	14:17	-	14:47	Sunny	60.6	SVAN 971 (Serial No. 103449)	Rion NC-75 (No. 34524163)
24 Jun 2025	19:42	-	19:47	Fine	57.4	SVAN 971 (Serial No. 103449)	Rion NC-75 (No. 34524163)
	20:22	-	20:27		57.9		
	21:27	-	21:32		57.2		
25 Jun 2025	1:27	-	1:32	Fine	57.6	SVAN 971 (Serial No. 103449)	Rion NC-75 (No. 34524163)
	3:17	-	3:22		57.1		
	5:17	-	5:22		55.9		