

Appendix G Noise Monitoring Data

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N_S1)

Monitoring date: 02, 08, 14, 22 and 28 July 2025 (Daytime)

02&03, 08&09, 14&15, 22&23 and 28&29 July 2025 (Evening & Nighttime)

Parameter: $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
02 July 2025	14:34	-	15:04	Sunny	59.4	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34524163)
02 July 2025	19:24	-	19:29	Fine	56.0	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34524163)
	20:09	-	20:14		55.1		
	21:19	-	21:24		54.2		
03 July 2025	1:19	-	1:24	Fine	51.1	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34524163)
	3:19	-	3:24		53.1		
	5:09	-	5:14		54.3		
08 July 2025	14:23	-	14:53	Sunny	57.1	SVAN 971 (Serial No. 96063)	Rion NC-74 (No.34615222)
08 July 2025	19:23	-	19:28	Fine	54.7	SVAN 971 (Serial No. 96063)	Rion NC-74 (No.34615222)
	20:18	-	20:23		57.5		
	21:23	-	21:28		57.1		
09 July 2025	1:23	-	1:28	Fine	52.8	SVAN 971 (Serial No. 96063)	Rion NC-74 (No.34615222)
	3:08	-	3:13		50.7		
	5:18	-	5:23		52.5		
14 July 2025	14:27	-	14:57	Sunny	57.9	SVAN 971 (Serial No. 96063)	Rion NC-74 (No.34615222)
14 July 2025	19:17	-	19:22	Fine	56.7	SVAN 971 (Serial No. 96063)	Rion NC-74 (No.34615222)
	20:17	-	20:22		54.6		
	21:27	-	21:32		55.1		
15 July 2025	1:17	-	1:22	Fine	53.0	SVAN 971 (Serial No. 96063)	Rion NC-74 (No.34615222)
	3:17	-	3:22		52.4		
	5:12	-	5:17		52.0		
22 July 2025	14:29	-	14:59	Fine	55.2	SVAN 971 (Serial No. 96063)	Rion NC-74 (No.34615222)
22 July 2025	19:09	-	19:14	Fine	52.2	SVAN 971 (Serial No. 96063)	Rion NC-74 (No.34615222)
	20:14	-	20:19		52.2		
	21:24	-	21:29		52.5		
23 July 2025	1:19	-	1:24	Fine	50.3	SVAN 971 (Serial No. 96063)	Rion NC-74 (No.34615222)
	3:14	-	3:19		50.8		
	5:19	-	5:24		54.5		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
28 July 2025	14:28	-	14:58	Cloudy	56.8	SVAN 971 (Serial No. 96063)	Rion NC-74 (No.34615222)
28 July 2025	19:13	-	19:18	Fine	54.8	SVAN 971 (Serial No. 96063)	Rion NC-74 (No.34615222)
	20:18	-	20:23		54.5		
	21:13	-	21:18		54.0		
29 July 2025	1:13	-	1:18	Fine	51.0	SVAN 971 (Serial No. 96063)	Rion NC-74 (No.34615222)
	3:08	-	3:13		50.8		
	5:13	-	5:18		52.7		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N_S2)

Monitoring date: 02, 08, 14, 22 and 29 July 2025 (Daytime)

02&03, 08&09, 14&15, 22&23 and 29&30 July 2025 (Evening & Nighttime)

Parameter: $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
02 July 2025	14:41	-	15:11	Sunny	62.2	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
02 July 2025	19:36	-	19:41	Fine	55.4	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	20:36	-	20:41		59.0		
	21:21	-	21:26		55.0		
03 July 2025	1:11	-	1:16	Fine	50.3	SVAN 971 (Serial No. C132261)	Rion NC-75 (No.34524163)
	3:16	-	3:21		51.0		
	5:16	-	5:21		53.7		
08 July 2025	14:34	-	15:04	Sunny	56.5	SVAN 971 (Serial No. C132261)	Rion NC-74 (No.34615222)
08 July 2025	19:24	-	19:29	Fine	58.5	SVAN 971 (Serial No. C132261)	Rion NC-74 (No.34615222)
	20:19	-	20:24		54.5		
	21:34	-	21:39		54.7		
09 July 2025	1:19	-	1:24	Fine	53.7	SVAN 971 (Serial No. C132261)	Rion NC-74 (No.34615222)
	3:09	-	3:14		51.7		
	5:24	-	5:29		53.6		
14 July 2025	14:33	-	15:03	Sunny	59.1	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
14 July 2025	19:28	-	19:33	Fine	55.6	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
	20:13	-	20:18		55.7		
	21:23	-	21:28		56.2		
15 July 2025	1:18	-	1:23	Fine	54.0	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
	3:08	-	3:13		56.1		
	5:18	-	5:23		55.6		
22 July 2025	14:15	-	14:45	Fine	56.1	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
22 July 2025	19:05	-	19:10	Fine	54.6	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
	20:15	-	20:20		54.3		
	21:20	-	21:25		54.1		
23 July 2025	1:15	-	1:20	Fine	52.0	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
	3:15	-	3:20		51.9		
	5:10	-	5:15		53.7		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
29 July 2025	14:22	-	14:52	Cloudy	59.8	SVAN 971 (Serial No. 96063)	Rion NC-74 (No.34615222)
29 July 2025	19:12	-	19:17	Fine	56.1	SVAN 971 (Serial No. 96063)	Rion NC-74 (No.34615222)
	20:17	-	20:22		55.7		
	21:12	-	21:17		54.6		
30 July 2025	1:17	-	1:22	Fine	53.2	SVAN 971 (Serial No. 96063)	Rion NC-74 (No.34615222)
	3:12	-	3:17		51.9		
	5:17	-	5:22		56.5		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N_S3)

Monitoring date: 02, 08, 14, 22 and 28 July 2025 (Daytime)

02&03, 08&09, 14&15, 22&23 and 28&29 July 2025 (Evening & Nighttime)

Parameter: $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)


Noise source other than construction activities from the Project: Operation of nearby Air Quality Monitoring Station

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
02 July 2025	14:25	-	14:55	Sunny	57.5	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.34524163)
02 July 2025	19:35	-	19:40	Fine	59.5	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.34524163)
	20:10	-	20:15		57.2		
	21:20	-	21:25		61.0		
03 July 2025	1:15	-	1:20	Fine	62.3	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.34524163)
	3:35	-	3:40		52.9		
	5:15	-	5:20		53.1		
08 July 2025	14:29	-	14:59	Sunny	56.5	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
08 July 2025	19:34	-	19:39	Fine	54.0	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
	20:19	-	20:24		57.8		
	21:24	-	21:29		54.0		
09 July 2025	1:19	-	1:24	Fine	50.6	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
	3:09	-	3:14		48.6		
	5:19	-	5:24		48.7		
14 July 2025	14:21	-	14:51	Sunny	60.3	SVAN 971 (Serial No. C132261)	Rion NC-74 (No.34615222)
14 July 2025	19:36	-	19:41	Fine	58.5	SVAN 971 (Serial No. C132261)	Rion NC-74 (No.34615222)
	20:11	-	20:16		59.0		
	21:21	-	21:26		58.7		
15 July 2025	1:16	-	1:21	Fine	58.3	SVAN 971 (Serial No. C132261)	Rion NC-74 (No.34615222)
	3:06	-	3:11		58.2		
	5:11	-	5:16		58.0		
22 July 2025	14:25	-	14:55	Fine	54.1	SVAN 971 (Serial No. C132261)	Rion NC-74 (No.34615222)
22 July 2025	19:05	-	19:10	Fine	55.3	SVAN 971 (Serial No. C132261)	Rion NC-74 (No.34615222)
	20:10	-	20:15		55.3		
	22:20	-	22:25		55.1		
23 July 2025	1:10	-	1:15	Fine	50.5	SVAN 971 (Serial No. C132261)	Rion NC-74 (No.34615222)
	3:15	-	3:20		58.3		
	5:40	-	5:45		50.0		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
28 July 2025	14:16	-	14:46	Cloudy	54.5	SVAN 971 (Serial No. C132261)	Rion NC-74 (No.34615222)
28 July 2025	19:11	-	19:16	Fine	52.8	SVAN 971 (Serial No. C132261)	Rion NC-74 (No.34615222)
	20:16	-	20:21		56.7		
	21:11	-	21:16		54.4		
29 July 2025	1:16	-	1:21	Fine	55.5	SVAN 971 (Serial No. C132261)	Rion NC-74 (No.34615222)
	3:16	-	3:21		48.6		
	5:21	-	5:26		48.3		


Impact Noise Monitoring Results during Day Time (0700 - 1900 hours)



Remark:

1. Construction works carried out during reporting month refer to **Table 1.2**.
2. Weather condition recorded and noise source other than construction activities from the Project observed during the monitoring events refer to noise monitoring data summary in **Appendix G**.


Additional Impact Noise Monitoring Results during Evening Time (1900 - 2300 hours)



Remark:

1. Construction works carried out during reporting month refer to **Table 1.2**.
2. Weather condition recorded and noise source other than construction activities from the Project observed during the monitoring events refer to noise monitoring data summary in **Appendix G**.

Additional Impact Noise Monitoring Results during Night Time (2300 - 0700 hours)



Remark:

1. Construction works carried out during reporting month refer to **Table 1.2**.
2. Weather condition recorded and noise source other than construction activities from the Project observed during the monitoring events refer to noise monitoring data summary in **Appendix G**.