

Appendix G Noise Monitoring Data

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N_S1)

Monitoring date: 01, 08, 15, 22 and 30 December 2025 (Daytime)

01&02, 08&09, 15&16, 22&23 and 30&31 December 2025 (Evening & Nighttime)

Parameter: $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
1 Dec 2025	14:26	-	14:56	Cloudy	57.7	SVAN 971 (Serial No. C119577)	Rion NC-74 (No.34615222)
1 Dec 2025	19:16	-	19:21	Fine	51.9	SVAN 971 (Serial No. C119577)	Rion NC-74 (No.34615222)
	20:11	-	20:16		49.0		
	21:06	-	21:11		48.8		
2 Dec 2025	1:16	-	1:21	Fine	46.7	SVAN 971 (Serial No. C119577)	Rion NC-74 (No.34615222)
	3:21	-	3:26		47.5		
	5:21	-	5:26		48.7		
8 Dec 2025	14:56	-	15:26	Sunny	58.7	SVAN 971 (Serial No. C119577)	Rion NC-74 (No.34615222)
8 Dec 2025	19:16	-	19:21	Fine	49.6	SVAN 971 (Serial No. C119577)	Rion NC-74 (No.34615222)
	20:06	-	20:11		50.6		
	21:11	-	21:16		50.4		
9 Dec 2025	1:21	-	1:26	Fine	47.2	SVAN 971 (Serial No. C119577)	Rion NC-74 (No.34615222)
	3:16	-	3:21		47.0		
	5:21	-	5:26		48.2		
15 Dec 2025	14:15	-	14:45	Sunny	58.4	SVAN 971 (Serial No. C119577)	Rion NC-74 (No.34615222)
15 Dec 2025	19:10	-	19:15	Fine	50.8	SVAN 971 (Serial No. C119577)	Rion NC-74 (No.34615222)
	20:25	-	20:30		49.8		
	21:15	-	21:20		49.9		
16 Dec 2025	1:15	-	1:20	Fine	49.6	SVAN 971 (Serial No. C119577)	Rion NC-74 (No.34615222)
	3:10	-	3:15		51.2		
	5:10	-	5:15		51.3		
22 Dec 2025	13:48	-	14:18	Fine	59.7	SVAN 971 (Serial No. C119577)	Rion NC-74 (No.34615222)
22 Dec 2025	19:13	-	19:18	Fine	50.9	SVAN 971 (Serial No. C119577)	Rion NC-74 (No.34615222)
	20:08	-	20:13		51.2		
	21:08	-	21:13		50.2		
23 Dec 2025	1:33	-	1:38	Fine	49.2	SVAN 971 (Serial No. C119577)	Rion NC-74 (No.34615222)
	3:13	-	3:18		50.0		
	5:18	-	5:23		49.9		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
30 Dec 2025	14:21	-	14:51	Fine	58.5	SVAN 971 (Serial No. C119577)	Rion NC-74 (No.34615222)
30 Dec 2025	19:11	-	19:16	Fine	50.3	SVAN 971 (Serial No. C119577)	Rion NC-74 (No.34615222)
	20:16	-	20:21		49.8		
	21:11	-	21:16		49.7		
31 Dec 2025	1:11	-	1:16	Fine	47.7	SVAN 971 (Serial No. C119577)	Rion NC-74 (No.34615222)
	3:26	-	3:31		46.9		
	5:11	-	5:16		48.9		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N_S2)

Monitoring date: 01, 08, 15, 22 and 30 December 2025 (Daytime)

01&02, 08&09, 15&16, 22&23 and 30&31 December 2025 (Evening & Nighttime)

Parameter: $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
1 Dec 2025	14:21	-	14:51	Cloudy	57.7	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
1 Dec 2025	19:11	-	19:16	Fine	54.0	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
	20:06	-	20:11		52.0		
	21:06	-	21:11		49.8		
2 Dec 2025	1:21	-	1:26	Fine	57.0	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
	3:21	-	3:26		56.6		
	5:16	-	5:21		57.7		
8 Dec 2025	14:40	-	15:10	Sunny	57.6	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
8 Dec 2025	19:15	-	19:20	Fine	49.8	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
	20:05	-	20:10		49.5		
	21:10	-	21:15		49.0		
9 Dec 2025	1:20	-	1:25	Fine	46.3	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
	3:15	-	3:20		46.2		
	5:20	-	5:25		47.3		
15 Dec 2025	13:57	-	14:27	Sunny	55.9	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
15 Dec 2025	19:07	-	19:12	Fine	51.7	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
	20:22	-	20:27		52.5		
	21:12	-	21:17		51.1		
16 Dec 2025	1:12	-	1:17	Fine	50.4	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
	3:07	-	3:12		51.5		
	5:07	-	5:12		50.7		
22 Dec 2025	13:58	-	14:28	Fine	59.9	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
22 Dec 2025	19:08	-	19:13	Fine	50.7	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
	20:08	-	20:13		49.8		
	21:08	-	21:13		50.1		
23 Dec 2025	1:23	-	1:28	Fine	49.6	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
	3:18	-	3:23		51.8		
	5:18	-	5:23		49.7		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
30 Dec 2025	13:38	-	14:08	Fine	59.1	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
30 Dec 2025	19:03	-	19:08	Fine	50.8	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
	20:13	-	20:18		49.4		
	21:13	-	21:18		48.8		
31 Dec 2025	1:13	-	1:18	Fine	47.0	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
	3:23	-	3:28		47.1		
	5:13	-	5:18		47.2		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N_S3)

Monitoring date: 01, 08, 15, 22 and 30 December 2025 (Daytime)

01&02, 08&09, 15&16, 22&23 and 30&31 December 2025 (Evening & Nighttime)

Parameter: $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)


Noise source other than construction activities from the Project: Operation of nearby Air Quality Monitoring Station

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
1 Dec 2025	14:14	-	14:44	Cloudy	58.5	SVAN 971 (Serial No. 103482)	Rion NC-74 (No.34615222)
1 Dec 2025	19:19	-	19:24	Fine	58.7	SVAN 971 (Serial No. 103482)	Rion NC-74 (No.34615222)
	20:14	-	20:19		58.9		
	21:24	-	21:29		58.5		
2 Dec 2025	1:14	-	1:19	Fine	58.6	SVAN 971 (Serial No. 103482)	Rion NC-74 (No.34615222)
	3:24	-	3:29		58.6		
	5:29	-	5:34		58.3		
8 Dec 2025	14:42	-	15:12	Fine	59.3	SVAN 971 (Serial No. 103482)	Rion NC-74 (No.34615222)
8 Dec 2025	19:12	-	19:17	Fine	53.6	SVAN 971 (Serial No. 103482)	Rion NC-74 (No.34615222)
	20:07	-	20:12		50.4		
	21:22	-	21:27		47.7		
9 Dec 2025	1:17	-	1:22	Fine	49.6	SVAN 971 (Serial No. 103482)	Rion NC-74 (No.34615222)
	3:17	-	3:22		49.2		
	5:17	-	5:22		48.8		
15 Dec 2025	13:36	-	14:06	Sunny	57.8	SVAN 971 (Serial No. C132269)	Rion NC-74 (No.34615222)
15 Dec 2025	19:11	-	19:16	Fine	48.2	SVAN 971 (Serial No. C132269)	Rion NC-74 (No.34615222)
	20:16	-	20:21		50.7		
	21:11	-	21:16		47.4		
16 Dec 2025	1:11	-	1:16	Fine	46.4	SVAN 971 (Serial No. C132269)	Rion NC-74 (No.34615222)
	3:11	-	3:16		44.7		
	5:06	-	5:11		51.2		
22 Dec 2025	13:47	-	14:17	Fine	50.5	SVAN 971 (Serial No. C132269)	Rion NC-74 (No.34615222)
22 Dec 2025	19:12	-	19:17	Fine	47.6	SVAN 971 (Serial No. C132269)	Rion NC-74 (No.34615222)
	20:12	-	20:17		48.5		
	21:12	-	21:17		48.3		
23 Dec 2025	1:07	-	1:12	Fine	48.1	SVAN 971 (Serial No. C132269)	Rion NC-74 (No.34615222)
	3:07	-	3:12		49.2		
	5:17	-	5:22		46.7		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
30 Dec 2025	14:13	-	14:43	Fine	51.1	SVAN 971 (Serial No. C132269)	Rion NC-74 (No.34615222)
30 Dec 2025	19:13	-	19:18	Fine	45.5	SVAN 971 (Serial No. C132269)	Rion NC-74 (No.34615222)
	20:13	-	20:18		48.3		
	21:08	-	21:13		46.1		
31 Dec 2025	1:18	-	1:23	Fine	45.2	SVAN 971 (Serial No. C132269)	Rion NC-74 (No.34615222)
	3:23	-	3:28		45.2		
	5:23	-	5:28		45.2		


Impact Noise Monitoring Results during Day Time (0700 - 1900 hours)



Remark:

1. Construction works carried out during reporting month refer to **Table 1.2**.
2. Weather condition recorded and noise source other than construction activities from the Project observed during the monitoring events refer to noise monitoring data summary in **Appendix G**.

Additional Impact Noise Monitoring Results during Evening Time (1900 - 2300 hours)



Remark:

1. Construction works carried out during reporting month refer to **Table 1.2**.
2. Weather condition recorded and noise source other than construction activities from the Project observed during the monitoring events refer to noise monitoring data summary in **Appendix G**.